


INDEX SEMINUM

2000



**Pražská botanická zahrada
Prague Botanical Garden
Czech Republic**

INDEX SEMINUM

2000



Pražská botanická zahrada
Nádvorní 134, 171 00 Praha 7
Czech Republic

tel:

+420 2 6880667

+420 2 6881502

fax:

+420 2 8542629

e-mail:

index@botgarden.cz

pbz@botgarden.cz

Geographical data

Latitude: 50° 07′

Longitude: 17° 24′

Altitude: 180 - 290 m

Meteorological data

Mean temperature 8.5° C

Mean precipitation 17 mm

Mean humidity 75%

Seed collectors of Prague Botanical Garden:

Jiří R. Haager	- director of BG
Pavel Sekerka	- curator
Vladimír Huml	- curator
Romana Ottová	- curator
Alena Nováková	- curator
Ivona Šuchmannová	- curator
Jarmila Skružná	- curator
Eduard Chvosta	- head of gardeners

Seed collector of Teplice Botanical Garden :

Šárka Zeithammerová

PINOPHYTA

Cupressaceae

- 1 *Chamaecyparis obtusa (Sieb. et Zucc.) Endl.*

Pinaceae

- 2 *Abies koreana Wills.*
3 *Abies pinsapo Boiss. 'Glauca'*
4 *Larix gmelinii (Rupr.) Kuzeneva*
5 *Larix leptolepis (S.et.Z.) Gord. 'Pendula'*
6 *Picea koyamai Shiras.*
7 *Picea mariana (Mill.) B.S.P.*
 BG Teplice
8 *Pinus armandii Franch.*
9 *Pinus banksiana Lamb.*
10 *Pinus contorta Dougl. ex Loud. var. latifolia*
11 *Pinus flexilis James*
12 *Pinus silvestris L.*
13 *Tsuga sieboldii Carr.*

Taxodiaceae

- 14 *Cryptomeria japonica D.Don.*
15 *Metasequoia glyptostroboides Cheng et Hu*

DICOTYLENOPSIDA

Acanthaceae

- 16 *Thunbergia alata Boj. ex Sims.*

Aceraceae

- 17 *Acer negundo L. 'Argenteo-notatum'*

Aizolaceae

- 18 *Carpanthea pomeridiana N.E.Br.*

Amaranthaceae

- 19 **Celosia argentea** *L.*
20 **Gomphrena celosioides** *Mart.*
21 **Gomphrena globosa** *L.*
22 **Gomphrena** *sp.*
ex: Mexico, Alfa Jayucan

Apiaceae

- 23 **Ammi visnaga** (*L.*) *Lam.*
24 **Bupleurum rotundifolium** *L.*
25 **Conium maculatum** *L.*
26 **Foeniculum vulgare** *Miller*
27 **Myrrhis odorata** (*L.*) *Scop.*
28 **Buplerum baldense** *Turra* ssp. *baldense*
ex: BG Montpellier: France, Les Claris
(Durfort 30), garrigue
29 **Heracleum antasiaticum** *Manden.*
ex: BG Berlin Dahlem: Turkey, prov. Artvin,
Demirkent

Asclepiaceae

- 30 **Asclepias curassavica** *L.*
BG Teplice
31 **Asclepias incarnata** *L.* ‘Ice Ballet’
32 **Asclepias incarnata** *L.*
33 **Vincetoxicum purpurascens** *C. Morr. et Decne.*

Asteraceae

- 34 **Ageratum** *sp.*
ex: Mexico, Tuxtepec
35 **Achillea pyrenaica** *Sibth. ex Godron*
in Gren. et Godron
36 **Anacyclus radiatus** *Loisel.*
37 **Anaphalis margaritacea** (*L.*) *Benth. et Hook. f.*
ex: BG Northampton: Hatfield
38 **Antennaria howellii** *Greene*
39 **Antennaria nebrascensis** *Greene*
40 **Antennaria parviflora** *Nutt.*
ex: BG Marburg: British Columbia, Buttle

46 00' N 112 32' W

- 41 ***Antennaria plantaginifolia (L.) Richardson***
- 42 ***Arctotis venusta Norl.***
- 43 ***Artemisia pycnocephala DC.***
- 44 ***Aster alpinus hort. 'Trimix'***
- 45 ***Aster alpinus hort. 'Warburgstern'***
- 46 ***Aster amellus L. ssp. ibericus (Stev.) Avetisian***
ex: Turkey, lake Çildir Gölü, meadows
- 47 ***Aster cf. diplostephioides (DC.) Clarke***
ex: BG Valais: China, Sichuan
- 48 ***Aster ericoides L.***
- 49 ***Aster foliaceus Lindl.***
ex: BG Univ. Utrecht: Canada, B.C.,
Peace River District
- 50 ***Aster macrophyllus L.***
ex: BG Michigan State Univ. East Lansing: USA,
MI, Ingham Co., Baker Woodlot
- 51 ***Aster ontariensis Wieg.***
- 52 ***Aster ptarmicoides (Nees) Torr. et A. Gray***
- 53 ***Aster puniceus L.***
- 54 ***Aster thomsonii C.B. Clarke***
- 55 ***Baileya multiradiata Harv. et Gray. ex Torr.***
- 56 ***Calendula officinalis L. 'Honey Baby'***
- 57 ***Carlina acaulis L.***
- 58 ***Catananche lutea L.***
- 59 ***Cnicus benedictus L.***
- 60 ***Coreopsis palmata Nutt.***
- 61 ***Coreopsis stillmanii (A. Gray) S.F.Blake***
'Golden Flece'
- 62 ***Cosmidium x burridgeanum hort. ex Regel***
- 63 ***Dimorphotheca pluvialis (L.) Moench***
- 64 ***Emilia sonchifolia (L.) DC. ex Wight***
- 65 ***Erigeron acer L. ssp. pycnotrichus (Vier.) Grierson***
ex: Turkey, about 5 km from Çam Geçidi to
Ardahan, pastures
- 66 ***Erigeron aureus Greene***
ex: NW Native Seeds: USA, WA, Yakima Co.,
Nelson Ridge, SE of Bumping Lake
- 67 ***Erigeron glabellus Nutt.***
- 68 ***Erigeron glaucus Ker-Gawl.***
- 69 ***Erigeron pulchellus Michx.***
- 70 ***Erigeron speciosus (Lindl.) DC.***
var. macranthus (Nutt.) Cronquist

- ex: NW Native Seeds: USA, Wam, Chelan Co.,
Chumstick Mtn., Entiat Mtns.
- 71 **Eriophyllum lanatum (Pursh) J. Forbes**
- 72 **Eupatorium rugosum Houtt.**
ex: Toronto ZOO: Canada, Toronto, Rouge
River Valley
- 73 **Festuca altissima All.**
ex: BG Cluj Napoca: Romania,
M-tii Padurea-Craiului, Distr. Bihor
- 74 **Gaillardia aristata Pursh**
ex: BG Göttingen: USA, Montana,
Glacier National Park
- 75 **Grindelia robusta Nutt.**
- 76 **Hazardia squarrosa Greene**
- 77 **Helenium aromaticum L.H.Bailey**
- 78 **Helenium autumnale L.**
‘Pumilum Magnificum’
- 79 **Helenium autumnale L.**
- 80 **Helenium bigelovii A.Gray**
ex: Forestfarm: USA, SW Oregon,
elev. 1500-6500'
- 81 **Helenium flexuosum Raf.**
- 82 **Helenium mexicanum H.B. & K.**
- 83 **Helenium puberulum DC.**
- 84 **Helenium tenuifolium Nutt.**
- 85 **Helianthus annuus L. ‘Zlatožlutá nízká’**
- 86 **Helianthus grosseserratus M.Martens**
ex: BG Univ. Olomouc: USA, Wisconsin
- 87 **Helianthus mollis Lam.**
ex: BG Univ. Olomouc: USA, Michigan, Ingham Co.
- 88 **Hemizonia fasciculata Torr. et Gray**
- 89 **Hymenoclea salsola Torr. et Gray**
- 90 **Chrysanthemum inodorum L. ‘Bridal Robbe’**
- 91 **Chrysanthemum macrophyllum Waldst. et Kit.**
- 92 **Chrysanthemum praealtum Vent.**
- 93 **Chrysanthemum sebatense ‘Silver Carpet’**
- 94 **Jurinea stoechadifolia (Bieb.) DC.**
ex: BG Cluj Napoca: Romania, Trebujeni,
District Orhei, R. Moldova
- 95 **Lasthenia californica DC. ex Lindl.**
- 96 **Layia platyglossa (Fisch. et C.A.Mey.) A. Gray**
- 97 **Lepidospartum squamatum A. Gray**

- 98 **Leuzea rhapontica (L.) Holub.**
 ssp. heleniifolia (Gren et Godron) J. Holub
 ex: BG Ljubljana: wild population
- 99 **Onopordum acanthium L.**
- 100 **Osteospermum hyoseroides (DC.) Norlindh**
- 101 **Rudbeckia amplexicaulis Vahl**
- 102 **Rudbeckia subtomentosa Pursh**
- 103 **Rudbeckia triloba L.**
- 104 **Rudbeckia occidentalis Nutt. 'Green Wizard'**
- 105 **Scorzonera hispanica L.**
- 106 **Senecio anteuphorbium (L.) Sch.Bib.**
- 107 **Senecio citriformis G.D. Rowl.**
 BG Teplice
- 108 **Senecio macroglossus DC. 'Variegatus'**
 BG Teplice
- 109 **Silybum marianum L.**
- 110 **Solidago caesia L.**
 ex: BG Michigan State Univ. East Lansing: USA,
 MI, Ingham Co., Sanford Woodlot
- 111 **Solidago graminifolia (L.) Salisb.**
- 112 **Solidago multiradiata**
- 113 **Solidago speciosa Nutt.**
- 114 **Solidago virgaurea L.**
- 115 **Spilanthes oleracea L.**
- 116 **Tagetes sp.**
 ex: Mexico, Monte Alban
- 117 **Tolpis barbata (L.) Gaertn.**
- 118 **Ursinia anthemoides (L.) Poir.**
- 119 **Verbesina encelioides (Cav.) Benth.**
 et Hook.f.ex A. Gray
- 120 **Vernonia gigantea (Walter) Trel.**
 ex: BG Univ. Olomouc: USA, Ohio,
 Lake County, Kirtland Township
- 121 **Xeranthemum cylindraceum Sm.**
- 122 **Zinnia sp.**
 ex: Mexico, Alfa Jayucan

Berberidaceae

- 123 **Podophylum hexandrum Royle**
 BG Teplice
- 124 **Berberis julianae Schneid.**

Betulaceae

- 125 *Betula verrucosa Ehrh.*
126 *Carpinus betulus L.*

Bignoniaceae

- 127 *Eccremocarpus scaber Ruiz et Pav.*
128 *Incarvillea sinensis Lam.*

Boraginaceae

- 129 *Echium russicum J.F.Gmel.*
130 *Omphalodes linifolia (L.) Moench*
131 *Onosma cinerea Schreber*
132 *Onosma montana Sibth. et Sm.*

Brassicaceae

- 133 *Aethionema cf. grandiflorum Boiss.*
et Hohen. in Boiss.
ex: Turkey, about 1 km E from Pasinler
134 *Aurinia corymbosa Grieseb.*
135 *Aurinia sinuata (L.) Griseb.*
ex: BG Ljubljana: Croatia, Kvarner, Cres
136 *Iberis sempervirens L.*
ex: Turkey, S slopes of Zigana Geçidi
137 *Isatis sp.*
ex: Turkey, about 10 km E by rd. E80(100) from
Aşkale, limestone rocks
138 *Isatis tinctoria L.*
ex: BG Palermo: Italy, Monte Etna (Catania)
139 *Vesicaria graeca Reut.*
140 *Hesperis matronalis L. 'Alba'*
141 *Hesperis matronalis L.*

Buddlejaceae

- 142 *Buddleja japonica Hemsl.*

Cactaceae

- 143 **Coryphantha vivipara** *Britton et Rose*
var. *arizonica* (*Engelmann*) *W.T.Marshall*
- 144 **Echinocereus baileyi** *Rose*
- 145 **Echinocereus caespitosus** *Engelm.*
- 146 **Echinocereus reichenbachii** (*Terscheck*)
Haage f., Britton et Rose
- 147 **Opuntia fragilis** (*Nutt.*) *Haw.*
- 148 **Opuntia humifusa** *Raf.*
- 149 **Opuntia phaeacantha** *Engl.*
- 150 **Opuntia rhodantha** *K.Sch.*

Campanulaceae

- 151 **Adenophora bulleyana** *Diels*
- 152 **Campanula alliariifolia** *Willd.*
- 153 **Campanula carpatica** *Jacq.* ‘White Bells’
- 154 **Campanula lactiflora** *M. Bieb.* ‘Lodon Anna’
- 155 **Campanula latifolia** *L.* ‘Alba’
- 156 **Campanula persicifolia** *L.* ‘Grandiflora’
- 157 **Campanula punctata** *Lam.* var. *hondoensis*
- 158 **Edraianthus graminifolius** (*L.*) *A. DC.*
- 159 **Lobelia anatina** *Wimm.*
ex: SW Native Seeds: USA, Arizona, Apache Co.
- 160 **Lobelia cardinalis** *L.* ssp. *multiflora*
ex: SW Native Seeds: USA, New Mexico,
Eddy Co.
- 161 **Lobelia syphilitica** *L.*
ex: BG Michigan State Univ., East Lansing: USA,
MI, Clinton Co, Rose Lake Fen
- 162 **Lobelia syphilitica** *L.*
- 163 **Symphyandra hofmannii** *Pant.*
- 164 **Wahlenbergia pendula** *Schrad.*

Capparaceae

- 165 **Cleome serrulata** *Pax* ‘Solo’

Caprifoliaceae

- 166 **Leycesteria formosana** *Wall.*

Chenopodiaceae

- 167 **Chenopodium bonus-henricus** *L.*
168 **Chenopodium botrys** *L.*

Cistaceae

- 169 **Helianthemum cinereum** (*Cavara*) *Persoon*
170 **Helianthemum ledifolium** (*L.*) *Mill.*
171 **Helianthemum sulphureum** *Willd.*
172 **Helianthemum variabile** *Spach.*
173 **Helianthemum violaceum** *Pers.*

Convolvulaceae

- 174 **Ipomoea hirsuta** ‘Mini Sky Blue’
175 **Ipomoea versicolor** *Meissn.*
176 **Quamoclit coccinea** (*L.*) *Moench*

Crassulaceae

- 177 **Sedum album** *L.*
ex: Turkey, Karahasan Geçidi on rd. Hadim – Ermenek
178 **Sedum album** *L.*
ex: Turkey, on rd. E 97 about 16 km from Torul
179 **Sempervivum sp.**
ex: Turkey, Kop Geçidi on Rd. E 97(915), limestone rocks

Cucurbitaceae

- 180 **Cyclanthera brachystachya** (*Ser.*) *Cogn.*

Dipsacaceae

- 181 **Cephalaria leucantha** (*L.*) *Schrad.*
Czech Republic, Kutná Hora, Velký rybník
182 **Knautia macedonica** *Griseb.*
183 **Scabiosa stellata** *L.*
184 **Scabiosa ucrainica** *L.*

Droseraceae

- 185 *Drosera burmannii* *Vahl*
- 186 *Drosera capensis* *L.* 'White Form'
- 187 *Drosera capensis* *L.*

Euphorbiaceae

- 188 *Eremocarpus setigerus* *Benth.*
- 189 *Ricinus communis* *L.*

Fabaceae

- 190 *Astragalus chinensis* *L.f.*
- 191 *Galega officinalis* *L.*
- 192 *Tetragonolobus purpureus* *Moench*
- 193 *Trigonella foenum-graecum* *L.*
- 194 *Gleditsia triacanthos* *L.*
- 195 *Laburnum anagyroides* (*Vis.*) *Schneid.*
var. *alschingeri*
- 196 *Robinia pseudoacacia* *L.*

Gentianaceae

- 197 *Gentiana septemfida* *Pall.*

Globulariaceae

- 198 *Globularia punctata* *Lapayr*
- 199 *Globularia punctata* *Lapeyr.*
ex: BG Nancy: Haut - Rhinn, Rouffach,
le Bollenberg
- 200 *Globularia trichosantha*
ex: Turkey, hill about 1 km E from Pasinler,
pastures

Hydrophyllaceae

- 201 *Nemophila maculata* *Bent. ex Lindl.* 'Five Spot'
- 202 *Phacelia bolanderi* *A.Gray*
- 203 *Phacelia campanularia* *A.Gray*

204 *Phacelia grandiflora (Benth.) A.Gray*

Hypericaceae

205 *Hypericum perforatum L.*

Lamiaceae

206 *Agastache occidentalis A.A.Heller*
ex: NW Native Seeds: USA, WA, Yakima Co,
Waterworks Canyon, Upper Naches Valley

207 *Betonica officinalis L.*

208 *Calamintha nepeta (L.) Savi.*

209 *Dracocephalum grandiflorum L.*

210 *Dracocephalum moldavica L. 'Album'*

211 *Dracocephalum nutans L.*

212 *Lavandula officinalis L. emend. Chaix in Vill.*

213 *Leonotis dysophylla Benth.*

214 *Mentha pulegium L.*

215 *Monarda russeliana Nutt. ex Sims*

216 *Nepeta nervosa Royle ex Benth.*

217 *Perilla frutescens (L.) Britt.*

218 *Perilla frutescens (L.) Britt. 'Nankinensis'*

219 *Physostegia virginiana Bth. 'Grandiflora'*

220 *Salvia argentea L.*

221 *Salvia azurea Michx. ex Lam.*

222 *Salvia columbariae Benth.*

223 *Salvia glutinosa L.*

224 *Salvia grandiflora Etl.*

225 *Salvia henryi A.Gray*

ex: SW Native Seeds: USA, Arizona, Cochise Co.

226 *Salvia hians Royle*

227 *Salvia horminoides Pourr.*

228 *Salvia ringens Sibth. et Sm.*

229 *Salvia sp.*

ex: Turkey, Kop Geçidi on rd. E 97(915),
limestone rocks

230 *Salvia tesquicola Klok. et Kit.*

231 *Salvia transcaucasica Pobedim. 'Alba'*

232 *Satureja spicigera (K. Koch) Boiss.*

233 *Scutellaria diffusa Benth.*

- 234** *Scutellaria orientalis* **L.**
ex: Turkey, 3 km W from Kireçli Geçidi on rd.
Tortum - Narman
- 235** *Stachys byzantina* **K. Koch**

Linaceae

- 236** *Linum lewisii* **Pursh.**

Loasaceae

- 237** *Blumenbachia hieronymi* **Urb.**
- 238** *Loasa triphylla* **Juss.**
- 239** *Mentzelia laevicaulis* **Torr. et Gray**
ex: BG Göttingen: Canada, B.C., loc. CDN,
Osoyoos

Malvaceae

- 240** *Anoda wrightii* **A.Gray**
- 241** *Hibiscus trionum* **L.**
- 242** *Malacothamnus fasciculatus* **Greene**
- 243** *Malva mauritiana* **L.**
- 244** *Sphaeralcea ambigua* **A.Gray**

Martyniaceae

- 245** *Proboscidea louisianica* **(Mill.) Thell.**

Nyctaginaceae

- 246** *Mirabilis dichotoma* **L.**
- 247** *Mirabilis froebellii* **Greene**
ex: SW Native Seeds: USA, Arizona,
Coconino Co.
- 248** *Mirabilis longiflora* **L.**

Oleaceae

- 249** *Fraxinus excelsior* **L.**
- 250** *Fraxinus ornus* **L.**

251 *Ligustrum vulgare* *L.*

Onagraceae

252 *Camissonia pallida* (*Abrams*) *Raven*

253 *Clarkia elegans* *Dougl.*

254 *Godetia bottae* (*Spach*) *H. & M.Lewis*
‘Lady in Blue’

255 *Godetia bottae* (*Spach*) *H. & M.Lewis*

256 *Oenothera biennis* *L.*

257 *Oenothera lamarckiana* *Ser.*

Papaveraceae

258 *Argemone albiflora* *Hornem.*

259 *Argemone squarrosa* *Greene* ssp. *glabrata*

260 *Eschscholtzia caespitosa* *Benth.* ‘Sundew’

261 *Papaver atlanticum* (*Ball*) *Coss.*

262 *Papaver burseri* *Crantz*

263 *Papaver paucifoliatum* (*Trautv.*) *Fedde*

ex: Turkey, volcano about 3 km W from Subatan
(Rd. Ani - Kars)

264 *Romneya coulteri* *Harv.*

Passifloraceae

265 *Passiflora gracilis* *Jacq. ex Link*

Plantaginaceae

266 *Plantago afra* *L.*

ex: BG Bruxelles: Spain, prairie sèche, Espot,
Pyrénées espagnoles

267 *Plantago asiatica* *L.*

268 *Plantago lanceolata* *L.*

Plumbaginaceae

269 *Acantholimon* sp.

ex: Turkey, about 25 km by rd. 070 from Digor,
pastures

270 *Acantholimon* sp.

ex: Turkey, 3 km W from Kireçli Geçidi on rd.
Tortum - Narman

- 271 Acantholimon sp.**
ex: Turkey, hill about 1 km E from Pasinler,
pastures
- 272 Acantholimon sp.**
ex: Turkey, hill about 1 km E from Pasinler,
pastures
- 273 Armeria alliacea (Cav.) Hoffmanns. et Link**
- 274 Armeria duriaei Boiss. 'Bevans'**
- 275 Armeria maritima (Mill.) Willd.**
'Cultivars Mixed'
- 276 Armeria maritima (Mill.) Willd. 'Vesuv'**
- 277 Limonium californicum A.A. Heller**
- 278 Limonium latifolium (Sm.) O. Kuntze**
BG Teplice
- 279 Statice gougentiana Girard.**
BG Teplice

Polemoniaceae

- 280 Gilia capitata Sims**
- 281 Gilia leptantha Parish**
- 282 Ipomopsis aggregata (Pursh) Grant**
- 283 Navarretia squarrosa (Eschsch.) Hook. et Arn.**
- 284 Polemonium brandegei Greene**
- 285 Polemonium caeruleum L.**
- 286 Polemonium occidentale Greene**
- 287 Polemonium x hybridum hort. 'Blue Whirl'**

Polygonaceae

- 288 Fagopyrum esculentum Moench**
- 289 Polygonum baldschuanicum Regel.**

Portulacaceae

- 290 Anacampseros rufescens (Haw.) Sweet**
BG Teplice

Primulaceae

291 *Cyclamen purpurascens* *Mill.*

292 *Primula veris* *L.*

Ranunculaceae

293 *Aconitum carmichaelii* *Debaux*

294 *Anemone coronaria* *L.*

295 *Anemone hortensis* *L.*

296 *Aquilegia viridiflora* *Pall.*

ex: BG Peterburg : Mongolia orientalis, regio

Suchebator, prope pagum Tumenczogn

297 *Aquilegia vulgaris* *L.* 'Sunburst Ruby'

298 *Clematis vitalba* *L.*

299 *Consolida ajacis* (*L.*) *Schur* 'Nieuwland'

300 *Consolida regalis* *S.F. Gray*

301 *Nigella garidella* *Spenn.*

302 *Nigella hispanica* *L.* 'Kuriosität'

303 *Nigella hispanica* *L.* 'Transformer'

304 *Nigella sativa* *L.*

305 *Pulsatilla albana* *Bercht. et Presl*

306 *Pulsatilla campanella* *Fisch ex Regel*

307 *Pulsatilla serotina* *Magn.*

308 *Pulsatilla vulgaris* *Miller*

309 *Pulsatilla vulgaris* *Miller*

ex: BG Gent: France, near Velosues,

calcareous slope

310 *Pulsatilla x hybrida hort.* 'Cultivar Mixed'

Resedaceae

311 *Reseda luteola* *L.*

Rosaceae

312 *Aruncus aethusifolius* *Nakai*

313 *Dryas x suendermannii* *Sünderm.*

314 *Potentilla hippiana* *Lehm.*

315 *Potentilla rupestris* *L.* var. *pygmaea*

316 *Pyracantha coccinea* *M.J.Roem.*

317 *Sanguisorba officinalis* *L.*

Rutaceae

318 *Phellodendron japonicum Maxim.*

319 *Poncirus trifoliata (L.) Raf.*

Sapindaceae

320 *Koelreuteria paniculata Laxm.*

Sarraceniaceae

321 *Sarracenia leucophylla Raf.*

Saxifragaceae

322 *Tellima grandiflora (Pursh) Douglas ex Lindl.*
‘Odorata’

Scrophulariaceae

323 *Alonsoa meridionalis (L.f.) O. Kuntze*

324 *Asarina barclaiana (Lindl.) Pennell*

325 *Asarina purpusii (T.S.Brandege) Pennell*
‘Victoria Falls’

326 *Asarina scandens (Cav.) Pennell*

327 *Asarina sp.*

ex: Mexico, Monte Alban

328 *Asarina sp.*

ex: Mexico, Tula

329 *Asarina x hybrida hort.*

330 *Calceolaria mexicana Benth.*

331 *Digitalis grandiflora Miller*

332 *Digitalis lanata Ehrh.*

333 *Digitalis lutea L.*

334 *Linaria purpurea (L.) Mill.* ‘Canon Went’

335 *Linaria purpurea (L.) Mill.*

336 *Mimulus cardinalis Douglas ex Benth.*

337 *Mimulus minimus von Bohlen*

338 *Mimulus ringens L.*

339 *Penstemon centranthifolius Benth.*

340 *Penstemon davidsoni Greene*

341 *Penstemon digitalis Nutt.* ‘Purpurea’

- 342 **Penstemon digitalis** *Nutt.*
 343 **Penstemon laevigatus** (*L.*) *Aiton*
 344 **Penstemon peckii** *Pennell*
 345 **Penstemon strictus** *Benth.*
 346 **Scrophularia californica** *Cham. et Schlecht.*
 347 **Veronica armena** *Boiss et Huet*
 348 **Veronica incana** *L.*
 ex: Slovakia, Tarbucka nad Malým Kamencom
 349 **Veronica multifida** *L.*
 ex: Turkey, rocks near Yayladere (E from
 Gümüşhane), pastures

Silenaceae

- 350 **Agrostemma githago** *L.*
 351 **Arenaria alfacarensis** *Pamp.*
 352 **Cerastium banaticum** (*Rochel*) *Heuffel*
 ssp. banaticum
 ex: BG Berlin Dahlem: Griechenland,
 Makedonien, Nomos Thessalonikis,
 Chortiatis-Gebirge
 353 **Dianthus alpinus** *L.* 'Albus'
 354 **Dianthus cruentus** *Griseb.*
 355 **Dianthus gratianopolitanus** *Vill.*

 356 **Dianthus haematocalyx** *Boiss. et Heldr.*
 ssp. pindicola (*Vierh.*) *Hayek*
 357 **Dianthus lumnitzerii** *Wiesb.*
 ex: Slovak Rep., Zadielska dolina
 358 **Dianthus lusitanus** *Brot.*
 359 **Dianthus pancici** *Velen.*
 360 **Dianthus pinifolius** *Sm.*
 361 **Dianthus spiculifolius** *Schur.*
 ex: BG Cluj Nappoca: Romania, Mtii Retezat,
 Distr. Hunedoara
 362 **Dianthus subacaulis** *Vill.* 'Flore Pleno'
 363 **Dianthus x hybridus** *hort.* 'Babi Lom'
 364 **Dianthus x hybridus** *hort.* 'Cultivar Mixture'
 365 **Gypsophila repens** *L.*
 366 **Lychnis coronaria** (*L.*) *Desr.* 'Alba'
 367 **Lychnis chalcedonica** *L.* 'Apricot'
 368 **Lychnis chalcedonica** *L.* 'Pink'
 369 **Lychnis chalcedonica** *L.*

- 370** ***Lychnis x arkwrightii hort.*** ‘Vesuvius’
371 ***Lychnis x haageana Lemoine*** ‘Molten Lava’
372 ***Saponaria officinalis L.***
373 ***Saponaria pumilio***
ex: BG Göteborg : Turkey, Çal Dag
374 ***Silene argaea Fisch. et Mey.***
ex: Rock Garden Soc. Praha: Turkey, Ercias Dag
375 ***Silene armeria L.***
ex: BG Bordeaux: France, Castillon - la - Bataille,
coteau calcaire xerophile
376 ***Silene caroliniana Walt. ssp. wherryi***
377 ***Silene italica (L.) Pers.***
ex: BG Siena: Italy, Vescovado di Murlo (Siena),
prato arido
378 ***Silene pendula L.***
379 ***Silene pensylvanica Michx.*** ‘Hot Pink’
380 ***Silene sp.*** ‘Weisskehlchen’

Solanaceae

- 381** ***Nicandra physalodes (L.) Gaertn.***
382 ***Nicotiana tabacum L.***
BG Teplice
383 ***Solanum pseudocapsicum L.***
BG Teplice

Taccaceae

- 384** ***Tacca chantrieri André***
BG Teplice

Valerianaceae

- 385** ***Patrinia scabiosaefolium Fisch.***

Verbenaceae

- 386** ***Callicarpa bodinieri Levl.***
‘Profusion’
387 ***Callicarpa bodinieri Levl.***
388 ***Lantana kisi A. Rich.***

- BG Teplice
389 **Lantana lilacina** *Desf.*
BG Teplice
390 **Verbena bonariensis** *L.*
391 **Verbena hastata** *L.*
ex: Toronto ZOO: Canada, Toronto,
Rouge River Valley
392 **Verbena macdougalii** *Heller*

Vitaceae

- 393 **Cyphostemma juttae** (*Dint. et Gilg*) *Desc.*
BG Teplice

Zygophyllaceae

- 394 **Zygophyllum fabago** *L.*
ex: E Turkey, ruins of Ani

MONOCOTYLEDONOPSIDA

Amaryllidaceae

- 395 **Ixiolirion tatricum** (*Pall.*) *Herb.*
396 **Narcissus bulbocodium** *L.*
397 **Narcissus bulbocodium** *L.* var. *conspicuus*
398 **Narcissus requienii** *M.J.Roemer*
399 **Narcissus rupicola** *Duf.*
400 **Narcissus triandrus** *L.*
401 **Sternbergia colchiciflora** *Wahlenb. et Kit.*

Bromeliaceae

- 402 **Dyckia altissima** *Lindl.*
BG Teplice

Iridaceae

- 403 **Crocus cancellatus** *Herb.*
404 **Crocus cancellatus** *Herb.* ssp. *damascenus*
405 **Crocus pallasii** *Goldb.*
406 **Crocus pulchellus** *Herb.*
407 **Gladiolus illyricus** *W.Koch*

- 408 *Gladiolus italicus* *Mill.*
409 *Iris bucharica* *M. Foster*
410 *Iris dichotoma* *Pall.*
411 *Iris lactea* *Pall.* var. *sinensis*
412 *Iris magnifica* *Vved.*
413 *Iris sibirica* *L.*
414 *Iris sisyrinchium* *L.*
415 *Iris sogdiana* *Bunge*
416 *Iris vicaria* *Vved.*
417 *Neomarica gracilis* (*Herb. ex Hook*) *Sprague*
418 *Romulea linaresii* *Parl.* subsp. *graeca* *Bég.*
419 *Romulea pratensis* *L.*

Liliaceae

- 420 *Agapanthus africanus* (L.) Hoffm.
421 *Allium aflatunense* B. Fedtsch.
422 *Allium jesdianum* Boiss.
423 *Allium karataviense* Regel
424 *Allium lencoranicum* Misch. ex Grossh.
425 *Allium ostrowskianum* Regel
426 *Allium rosenbachianum* Regel
427 *Allium unifolium* Kellogg
428 *Allium victorialis* L.
429 *Asparagus* cf. *officinalis* L.
ex: Turkey, floodplain 5 km NW by rd. E97(915)
from Aşkale
430 *Asparagus officinalis* L.
431 *Asphodeline taurica* (Pallas) Kunth
432 *Asphodelus albus* Mill.
433 *Bellevalia longipes* Post.
434 *Bellevalia longistyla* (Misch.) Grossheim
435 *Bellevalia pycnantha* (C.Koch) A. Los.
436 *Bellevalia sarmatica* (Pall. ex Georgi) Woron.
437 *Bowiea volubilis* Harv. ex Hook. f.
BG Teplice
438 *Brimeura amethystina* (L.) Salisb.
439 *Camassia leichtlinii* (Bak.) S. Wats.
440 *Camassia scilloides* (Raf.) Cory
441 *Colchicum autumnale* L.
442 *Colchicum pusillum* Sieber
443 *Colchicum speciosum* Steven
444 *Dipcadi serotinum* Med.

- 445 *Eremurus hissaricus Regel*
 446 *Eremurus olgae Regel*
 447 *Eremurus robustus Regel*
 448 *Eremurus stenophyllus (Boiss. et Buhse) Bak.*
 var. bungei (Bak.) O. Fedtsch.
 449 *Eucomis bicolor Bak.*
 450 *Eucomis pole-evansii N.E.Brown*
 451 *Eucomis punctata Houtt.*
 452 *Fritillaria acmopetala Boiss.*
 453 *Fritillaria degeniana L.*
 454 *Fritillaria meleagris L.*
 455 *Fritillaria michailowskyi Fomin*
 456 *Fritillaria nigra L.*
 457 *Fritillaria pallidiflora Schrenk*
 458 *Fritillaria pontica Wahlenb.*
 459 *Fritillaria sewerzowii Regel*
 460 *Galtonia viridiflora Verdoon*
 461 *Hyacinthella acutiloba K.Pers. et Wendelbo*
 462 *Hyacinthella azurea (Fenzl.) Chouard*
 463 *Hyacinthella heldreichii (Boiss.) Chouard*
 464 *Hyacinthoides hispanica (Mill.) Rothm.*

 465 *Muscari armeniacum Leichtl. ex Baker*
 466 *Muscari comosum (L.) Mill.*
 467 *Muscari neglectum Guss.*
 468 *Ornithogalum arcuatum Steven*
 469 *Ornithogalum exaratum Zahar.*
 470 *Ornithogalum narbonense L.*
 471 *Ornithogalum pyrenaicum L.*
 472 *Scilla monophyllos Link.*
 473 *Scilla peruviana L.*
 474 *Scilla ramburei Boiss.*
 475 *Tulipa clusiana Candolle*
 var. cynthia van Tubergen
 476 *Tulipa stellata Hook.*
 var. chrysantha
 477 *Tulipa tarda Stapf.*
 478 *Veratrum nigrum L.*

Musaceae

- 479 *Heliconia psittacorum L.f.*
 BG Teplice

- 480 **Musa x paradisiaca L.**
BG Teplice

Poaceae

- 481 **Arrhenatherum elatius (L.) Beauv.ex J.et C. Presl**
482 **Briza maxima L.**
483 **Briza minor L.**
484 **Bromus lanceolatus Roth**
485 **Coix lacryma - jobi L.**
486 **Eleusine coracana (L.) Gaertn.**
487 **Eragrostis gummiflua Nees**
488 **Festuca billyi Kerguélen et Plonka**
ex: France, Lac Pavin, Puy de Dome
489 **Festuca centro-appenninica (Mgf.-Dbg.)Mgf.-Dbg.**
490 **Festuca curvula Gaudin ssp. curvula**
ex: BG Musaei Paris: France, Praz de Lys,
Savoie
- 491 **Festuca durissima (Hackel) Kerguélen**
ssp. durissima
ex: BG Nancy: France, Pyrénées Orientales,
Puigmal
492 **Festuca lambinonii Kerguélen**
ex: BG Musaei Paris: France, Col de Jau
493 **Festuca matthewsii Cheesem.**
494 **Festuca nigrescens Lam.**
ssp. microphylla Markgr. Dann.
ex: BG Musaei Paris: Col de la Crousete, Ariège
495 **Festuca rubra L. ssp.**
arenaria (Osbeck) Areschoug
ex: BG Nancy: France, Manche, Genêts,
Bec d'Andaine
496 **Festuca tenuifolia Sibth.**
497 **Festuca tenuifolia Sibth.**
498 **Festuca yvesii Sennen et Pau**
ssp. bellottii Kerguélen
ex: BG Musaei Paris: Mt. Aigoual, Gard
499 **Hystrix patula Moench**
500 **Chasmanthium latifolium (Michx.) Yates**
501 **Chrysopogon gryllus (L.) Trin.**
502 **Lamarckia aurea (L.) Moench**

- 503 **Leymus arenarius** (*L.*) *Hochst.*
504 **Panicum capillare** *L.* 'Fontaine'
505 **Phalaris canariensis** *L.*
506 **Poa araratica** *Trautv.*
507 **Polypogon monspeliensis** (*L.*) *Desf.*
508 **Rhynchelythrum repens** (*Willd.*) *C.E. Hubb.*
509 **Sesleria albicans** *Kit. ex Schultes*
510 **Sesleria bielzii** *Schur.*
511 **Sesleria heufleriana** *Schur.*
 var. hungarica (Ujh.) Deyl
512 **Sesleria insularis** *Sommier*
513 **Sesleria klasterskyi** *Deyl*
514 **Stipa barbata**
 BG Teplice
515 **Stipa sp.**
 ex: Turkey: Palandoken on rd. 950
 from Erzurum

Cover illustration:

Salix reticulata

Reproduced from:

Cv. Ettinghansen et A. Pokorny - *Physiotypia
Plantarum Austriacum*, Wien, 1856

Please restrict your request to less 15 taxa.

Please return the numbered list not later then
15th April.

All seeds from BG are the result of open
pollination.

Number of the seed portion of some plants collected in nature is limited.

Donors of plant collections :

Beijing Botanical Garden

Turpan Botanical Garden

Zoologická a botanická zahrada Plzeň

Familie Müssel

Kirchweg 10, Heigenhausen, 85395
Wolfersdorf
Germany

Fleuroselect – Organization for testing
new flower seeds, Noordwijk
The Netherlands

Ernst Benary Samenzucht GmbH

Petersweg 72, 34346 Hann. Münden, Germany

Takii Europe B.V.

Hoofdweg 19, 1424 PC de Kwakel,
The Netherlands

Staudengärtnerei Schöllkopf

Gewand Heckenwiesen, Postfach 7137
72735 Reutlingen 11 (Betzingen)
Germany

Pieter Zwijnenburg jr.

Halve Raak 18, 2771 AD Boskoop
The Netherlands

Arrowhead Alpines

1310 A Gregory rd., P.O.Box 587
Fowlerville MI 48836

U.S.A.

Zahradnictví Petera

Bažanovická 1615


Praha 9 – Horní Počernice

Ovocné a okrasné školky Litomyšl

T.G. Masaryka 506

570 01 Litomyšl

Sponsors of Prague BG:



PRAŽSKÁ
PLYNÁRENSKÁ
a.s.

Palmolive sro.

Praha

Nadace Quido Schwanka – Troja, město v zeleni

Praha – Evropské město kultury 2000

