


**INDEX
SEMINUM**

2001



Pražská botanická zahrada
Prague Botanical Garden
Czech Republic

INDEX SEMINUM

2001



Pražská botanická zahrada
Nádvorní 134, 171 00 Praha 7
Czech Republic

www.botgarden.cz

tel:
+420 2 6880667
+420 2 6881502

fax:
+420 2 8542629

e-mail:
index@botgarden.cz
pbz@botgarden.cz

Geographical data

Latitude: 50° 07'
Longitude: 17° 24'
Altitude: 180 - 290 m

Meteorological data

Mean temperature: 8.5° C
Mean precipitation: 517 mm
Mean humidity: 75%

Seed collectors of Prague Botanical Garden:

Pavel Sekerka	- curator
Vladimír Huml	- curator
Alena Nováková	- curator
Ivona Šuchmannová	- curator
Jarmila Skružná	- curator
Eduard Chvosta	- head of gardeners

PINOPHYTA

Cupressaceae

1. *Thuja orientalis L.*

Pinaceae

2. *Abies koreana Wills.*
3. *Abies pinsapo Boiss.*
‘*Glauca*’
4. *Larix gmelinii (Rupr.) Kuzen.*
ssp. *olgensis*
5. *Picea breweriana Watson*
6. *Pinus contorta Dougl ex Loud.*
var. *latifolia*
7. *Pinus leucodermis Antoine*
8. *Tsuga sieboldii Carr.*

DICOTYLENOPSISIDA

Aizoaceae

9. *Carpanthea pomeridiana N. E. Br.*

Apiaceae

10. *Ammi visnaga L.*
11. *Bupleurum baldense Turra*
ssp. *baldense*
ex: Les Claris (Durfort 30), Garrigue
12. *Bupleurum rotundifolium L.*
13. *Eryngium amethystinum L.*
14. *Eryngium bourgatii Gouan*
15. *Foeniculum vulgare Mill.*
16. *Heracleum antasiaticum Manden.*
ex: Turkey, prov. Artvin, Demirkent

Apocynaceae

17. *Amsonia ciliata Walter*

Asclepiadaceae

18. *Asclepias tuberosa L.*
‘Hybrids’
19. *Asclepias incarnata L.*
20. *Asclepias purpurascens L.*
21. *Vincetoxicum purpurascens*
C. Morr. et Decne.

Asteraceae

22. *Ageratum* sp. ex: Mexico, Tula
23. *Achillea clypeolata Sibth. et Sm.*
ex: Romania, Hagieni - Distr. Constanta
24. *Achillea millefolium L.*
25. *Anacyclus radiatus Loisel.*
26. *Anaphalis margaritacea (L.) Benth. et Hook.*
ex: U.S.A., Hatfield
27. *Antennaria howellii Greene*
28. *Antennaria nebrascensis Greene*
29. *Antennaria parviflora Nutt.*
ex: British Columbia, Buttle 46° 00' N 112° 32' W
30. *Antennaria plantaginifolia (L.) Richardson*
31. *Anthemis arabica L.*
32. *Anthemis sancti-johannis Turrill*
33. *Arctotis venusta Norl.*
34. *Arnica amplexicaulis Nutt.*
ex: U.S.A. , Kalifornie
35. *Arnica foliosa Nutt.*
36. *Arnica nevadensis A. Gray*
37. *Aster alpinus hort.*
‘Wartburgstern’
38. *Aster alpinus hort.*
‘Trimix’
39. *Aster amellus L. ibericus (Stev.) Avetisian*
ex: Turkey, Çıldır Gölü
40. *Aster cf. diplostephioides (DC.) Clarke*
ex: China, Sichuan
41. *Aster ericoides L.*
42. *Aster foliaceus Lindl.*
ex: Canada, B.C., Peace River District
43. *Aster laevis L.*

- ex: U.S.A. , Illinois, Cook Co. (Glencoe)
44. *Aster lateriflorus* (*L.*) *Britton*
45. *Aster linosyris* (*L.*) *Bernh.*
‘Golden Dust’
46. *Aster macrophyllus* *L.*
ex: U.S.A. , MI, Ingham Co., Baker Woodlot
47. *Aster ontariensis* *Wieg.*
48. *Aster patens* *Aiton*
ex: U.S.A. , PA, Bucks Co., Mariton Wildlife
Sanctuary
49. *Aster puniceus* *L.*
50. *Aster ptarmicoides* (*Nees*) *Torr. et A. Gray*
51. *Aster spectabilis* *Willd.*
52. *Balsamitha major* *Desf.*
53. *Calimeris incisa* (*Fisch.*) *DC.*
54. *Centaurea atropurpurea* *W. et K.*
ex: Romania, Mt. Scărita-Belioara, District Alba
55. *Centaurea macrocephala* *Puschk.* ex *Willd.*
56. *Centaurea montana* *L.*
57. *Centaurea nigrescens* *Willd.*
var. *ramosa* *Gugler*
58. *Centaurea pseudophrygria* *C.A. Meyer*
ex: Austria, Tyrol, Mt. Patscherkofel
59. *Centaurea ruthenica* *Lam.*
ex: Italy, Umrienn prov. Perugia, Monti Sibillini,
Piano Grande
60. *Centaurea solstitialis* *L. solstitialis*
ex: Italy, S.Martino in Grania (Siena)
61. *Coreopsis auriculata* *L.*
‘Nana’
62. *Coreopsis palmata* *Nutt.*
63. *Coreopsis rosea* *Nutt.*
ex: U.S.A. , MA, Cape Cod
64. *Coreopsis stillmanii* (*A. Gray*) *S.F.Blake*
‘Golden Fleece’
65. *Coreopsis tripteris* *L.* *
- ex: U.S.A. , Wayne Co., Holloway Borrow Pit 1996,
203 m n.m., 83° 31' W 42° 05' N
66. *Cosmidium x burridgeanum* *Hort. ex Regel*
67. *Craspedia globosa* *Benth.*
68. *Dimorphotheca sinuata* *DC.*
69. *Echinacea angustifolia* *DC.*
70. *Echinops bannaticus* *Rochel ex Schrad.*
‘Blue Glow’

71. *Emilia coccinea* (*Sims*) *G.Don*
72. *Erigeron glabellus* *Nutt.*
73. *Erigeron glaucus* *Ker-Gawl.*
74. *Erigeron pulchellus* *Michx.*
75. *Erigeron speciosus* (*Lindl.*) *DC.*
var. *macranthus* (*Nutt.*) *Cronquist*
ex: U.S.A. , Wam, Chelan Co., Chumstick Mtn.,
Entiat Mtns.
76. *Eriophyllum lanatum* (*Pursh*) *J. Forbes*
77. *Eupatorium maculatum* *L.*
78. *Eupatorium purpureum* *L.*
79. *Eupatorium rugosum* *Houtt.*
ex: Canada, Toronto, Rouge River Valley
80. *Felicia heterophylla* (*Cass.*) *Grau*
81. *Gaillardia aristata* *Pursh*
82. *Helenium autumnale* *L.*
83. *Helenium bolanderi* *A. Gray*
84. *Helenium flexuosum* *Raf.*
85. *Helenium hoopesii* *A. Gray*
86. *Helenium mexicanum* *H.B. & K.*
87. *Helenium puberulum* *DC.*
88. *Helenium tenuifolium* *Nutt.*
89. *Helianthus giganteus* *L.*
ex: U.S.A. , Michigan, Van Buren Co,
Pine Lake Complex, 203 m n.m.,
83° 31' W, 42° 05' N
90. *Helianthus grosseserratus* *M.Martens*
ex: U.S.A. , Wisconsin
91. *Helianthus maximilianii* *Schrad.*
ex: Canada, Manitoba
92. *Helianthus mollis* *Lam.*
ex: U.S.A. , Michigan, Ingham Co
93. *Helichrysum armenium* *DC.*
ex: Turkey, Kireçli Geçidi (on road Tortum - Oltu)
94. *Helichrysum plicatum* *DC.*
ex: Turkey, about 5 km from Çam Geçidi (road to
Ardahan)
95. *Chamaemelum nobile* (*L.*) *All.*
96. *Chrysanthemum macrophyllum* *Waldst. et Kit.*
97. *Chrysanthemum praealtum* *Vent.*
98. *Chrysopsis villosa* (*Pursh*) *Nutt.*
99. *Inula helenium* *L.*
100. *Jurinea stoechadifolia* (*Bieb.*) *DC.*

- ex: Romania, Trebijeni,District Orhei,
R. Moldova
- 101.*Layia platyglossa* (*Fisch. et C.A.Mey.*)
102.*Leontodon asper* (*W. et K. Poir*)
setulosus
ex: Romania, Jodetul Botosani, Comuna Ripiceni
- 103.*Lindheimera texana* *A.Gray et Engelm.*
104.*Lonas annua* (*L.*) *Vines et Druce*
105.*Madia sativa* *Mol.*
106.*Melampodium perfoliatum* *H.B. & K.*
107.*Onopordum acanthium* *L.*
108.*Osteospermum hyoseroides* (*DC.*) *Norlindh*
109.*Osteospermum vaillantii* (*Decne.*) *Norlindh*
110.*Ratibida columnaris* (*Sims*) *D.Don*
pulcherrima
111.*Ratibida columnaris* (*Sims*) *D.Don*
112.*Rudbeckia occidentalis* *Nutt.*
113.*Rudbeckia subtomentosa* *Pursh*
114.*Rudbeckia triloba* *L.*
115.*Santolina rosmarinifolia* *L.* *canescens*
116.*Serratula tinctoria* *L.*
117.*Solidago flexicaulis* *L.*
ex: U.S.A. , PA, Bucks Co., Solebury Twp.
118.*Solidago gigantea* *Aiton*
ex: U.S.A. , MA, Northampton, Whatley
119.*Solidago graminifolia* (*L.*) *Salisb.*
120.*Solidago rigida* *L.*
121.*Solidago speciosa* *Nutt.*
122.*Solidago virgaurea* *L.*
123.*Stokesia laevis* (*J.Hill*) *Greene*
124.*Tagetes* sp. ex: Mexico, Malinalco
125.*Tagetes* sp. ex: Mexico, Amecameca
126.*Tanacetum vulgare* *L.*
127.*Tolpis barbata* (*L.*) *Gaertn.*
128.*Townsendia formosa* *Greene*
ex: U.S.A., Arizona, Appache Co.
129.*Ursinia speciosa* *DC.*
130.*Vernonia gigantea* (*Walter*) *Trel.*
ex: U.S.A., Ohio, Lake County, Kirtland Township
- 131.*Xeranthemum annum* *L.*
132.*Xeranthemum cylindraceum* *Sm.*
133.*Zinnia* sp. ex: Mexico, Tula

Betulaceae

- 134.*Betula jacquemontii* Spach.
135.*Corylus sieboldiana mandshurica* Schneid.

Bignoniaceae

- 136.*Eccremocarpus scaber* Ruiz & Pav.
137.*Incarvillea sinensis* Lam.

Boraginaceae

- 138.*Echium russicum* J.F.Gmel.
139.*Omphalodes linifolia* (L.) Moench
140.*Onosma arenaria* Waldst. et Kit.
141.*Onosma cinerea* Schreber
142.*Onosma montana* Sibth. et Sm.

Brassicaceae

- 143.*Aethionema* cf. *armenum* Boiss.
ex: Turkey, Kop Geçidi on rd. E 97(915)
144.*Aethionema* cf. *grandiflorum* Boiss. et Hohen. in Boiss.
ex: Turkey, about 1 km E from Pasinler
145.*Aethionema pulchellum* Boiss. et Huet.
146.*Alyssum borzaeanum* Nyár.
ex: Romania, Reservația Științifica de Dune Marine Agigea, Jude
147.*Alyssum* sp.
ex: Turkey , Kop Geçidi on Rd. E 97(915)
148.*Alyssum* sp.
ex: Turkey, Kireçli Geçidi (road Tortum - Oltu)
149.*Aurinia corymbosa* Grieseb.
150.*Crambe tatarica* Sebeok
ex: Romania, Zau de Campie, distr. Mures
151.*Eruca sativa* Mill.
152.*Erysimum banaticum* Gris
ex: Romania, Mt. Domogled, Distr. Caras-Severin
153.*Erysimum pulchellum* (Willd.) J. Gay
ex: Turkey, N-Anatolia, Bithynia, Ulu-Dag
154.*Iberis amara* L

- 155.*Iberis sempervirens* L.
ex: Turkey, Zigana Geçidi
156. *Isatis tinctoria* L.
157. *Vesicaria graeca* Reut.

Buddlejaceae

158. *Buddleja japonica* Hemsl.

Buxaceae

159. *Sarcococca hookeriana* Baill.

Cactaceae

160. *Coryphantha vivipara*
var. *arizonica* (Engelm.) W.T. Marshall
161. *Echinocereus baileyi* Rose
162. *Echinocereus caespitosus* Engelm.
163. *Echinocereus reichenbachii* (Terscheck)
Haage f., Britton et Rose
164. *Eriocactus leninghausii* Haage f.
165. *Opuntia compresa* (Sal.) Macbr.
166. *Opuntia erinacea*
var. *utahensis* (Engelman) L. Benson
(syn. *O. rhodantha*)
167. *Opuntia fragilis* (Nutt.) Haw.
168. *Opuntia greenei* Britton et Rose
169. *Opuntia howeyi* Purpus
170. *Opuntia phaeacantha*
var. *curvospina* Griffiths
171. *Opuntia phaeacantha*
var. *rubra* hort.
172. *Opuntia phaeacantha*
var. *salmonea* hort.

Campanulaceae

173. *Adenophora coronopifolia* Fisch
174. *Adenophora hakusanensis* Nakai
175. *Campanula carpatica* Jacq.

'White Clips'

176. *Campanula glomerata* L. 'Schneekrone'
177. *Campanula lactiflora* M. Bieb.
 'Lodon Anna'
178. *Campanula latifolia* L. 'Alba'
179. *Campanula latifolia* L. 'Brantwood'
180. *Campanula lyrata* Lam.
 ex: Turkey, Izmir
181. *Campanula persicifolia* L. 'Grandiflora'
182. *Campanula pyramidalis* L.
183. *Campanula rapunculoides* L.
184. *Campanula takesimana* Nakai
185. *Edraianthus graminifolius*
186. *Jasione crispa* (Pour.) Samp.
187. *Jasione laevis* Lam. 'Blaulicht'
188. *Monopsis scabra* Urb.
189. *Symphyandra armena* (Steven) A. DC.
190. *Symphyandra hofmannii* Pant.
191. *Symphyandra pendula* (M. Bieb.) A. DC.
192. *Symphyandra zangezur* Lipsky
193. *Wahlenbergia capensis* (L.) A. DC.
194. *Wahlenbergia pendula* Schrad.

Capparaceae

195. *Cleome serullata* Pax.

Caprifoliaceae

196. *Viburnum rhytidophyllum* Hemsl.

Celastraceae

197. *Euonymus alatus* Sieb. 'Compactus'

Cistaceae

198. *Helianthemum canadense* Michx.
199. *Helianthemum cinereum* (Cavara) Persoon
200. *Helianthemum croceum* (Desf.) Pers.

- ex: Italy, Apuan Alps, Pian sella Fioba
201.*Helianthemum ledifolium* (*L.*) *Mill.*
202.*Helianthemum nummularium* (*L.*) *Miller*
ex: Turkey , about 5 km from Çam Geçidi to Ardahan
203.*Helianthemum ovatum* (*Viv.*) *Dunal in DC.*
204.*Helianthemum variabile* *Spach.*
205.*Helianthemum violaceum* *Pers.*

Convolvulaceae

- 206.*Ipomoea x sloteri* (*H.D.House*) *Van Ooststr.*
207.*Quamoclit angulata* *Boj.*

Cucurbitaceae

- 208.*Cyclanthera brachystachya* (*Ser.*) *Cogn.*
209.*Cyclanthera pedata* (*L.*) *Schrad.*

Dipsacaceae

- 210.*Scabiosa columbaria* *L.* 'Nana'
211.*Scabiosa japonica* *Miq.* 'Alpinci'
212.*Scabiosa* sp.
ex: Turkey, Yayladere (E from Gümüşhane)
213.*Scabiosa stellata* *L.*
214.*Succisa pratensis* *Moench*

Droseraceae

215. *Drosera capensis* *L.*
216. *Drosera capensis* *L.* 'White Form'
217. *Drosera madagascarensis*

Ericaceae

- 218.*Pieris japonica* *D. Don* 'Cultivar Mixture'

Euphorbiaceae

219.*Ricinus communis L.*

Fabaceae

- 220.*Astragalus centralpinus Br.-Bl.*
ex: Italia, Alúpes Graies
- 221.*Astragalus pyrenaica Godron et Gren. in Gren et Godron*
- 222.*Genistella saggitalis (L.) Gams. in Hegi*
ex: France, Croténay ,(Jura)
- 223.*Laburnum anagyroides Med.*
- 224.*Tetragonolobus purpureus Moench*
- 225.*Trigonella foenum-graecum L.*

Globulariaceae

- 226.*Globularia dumulosa Schwarz*
- 227.*Globularia punctata Lapeyr.*
- 228.*Globularia trichosantha Ledeb.*
ex: Turkey, Arslanköy, N from Mersin

Hydrophyllaceae

- 229.*Phacelia bolanderi A.Gray*

Lamiaceae

- 230.*Agastache foeniculum L.*
- 231.*Agastache aurantiaca (A. Gray) Lint & Epling*
- 232. *Agastache nepetoides (L.) Kuntze*
ex: Canada, Essex Co., Pelee Tp., Pelee Island,
175 m, 41° 48' N, 82° 39' W
- 233.*Agastache occidentalis A.A.Heller*
ex: U.S.A. , WA, Yakima Co., Waterworks Canyon,
Upper Naches Valley
- 234.*Agastache pallidiflora (Heller) Rydb.*
pallidiflora
ex: U.S.A. , Arizona, Apache Co.

- 235.*Agastache pallidiflora* (*Heller*) *Rydb.*
neomexicana
ex: U.S.A. , New Mexico, Grant Co.
- 236.*Agastache scrophulariaefolia* *Schafer.*
- 237.*Calamintha nepenthoides* *Jordan*
- 238.*Calamintha nepeta* (*L.*) *Savi.*
- 239.*Clinopodium vulgare* *L.*
- 240.*Dracocephallum moldavica* *L.*
- 241.*Dracocephallum moldavica* *L.* 'Alba'
- 242.*Dracocephalum nutans* *L.*
- 243.*Dracocephalum grandiflorum* *L.*
- 244.*Hyssopus seravschanicus* (*Dubjan.*) *Paxij*
- 245.*Leonurus quinquelobatus* *Gilib*
- 246.*Leonotis dysophylla* *Benth.*
- 247.*Molucella laevis* *L.*
- 248.*Monarda fistulosa* *L.* var. *fistulosa*
- 249.*Monarda fistulosa* *L.* var. *menthofolia*
- 250.*Monardella odoratissima* *Benth.*
ex: U.S.A., Coconino Co.
- 251.*Nepeta nervosa* *Royle ex Benth.*
- 252.*Phlomis macrophylla* *Benth.*
- 253.*Prunella grandiflora* (*L.*) *Scholler*
'Shell Pink'
- 254.*Salvia argentea* *L.*
- 255.*Salvia glutinosa* *L.*
- 256.*Salvia grandiflora* *Etl.*
- 257.*Salvia hians* *Royle*
- 258.*Salvia nevadensis* *Lam.*
- 259.*Salvia ringens* *Sibth. et Sm.*
- 260.*Salvia sclarea* *L.* 'Alba'
- 261.*Salvia tomentosa* *Miller*
ex: Turkey, prov. Ankara, Kizilcahamam
- 262.*Salvia transcaucasica* *Pobedim.* 'Alba'
- 263.*Salvia* sp.
ex: Turkey, rd. 650, 32 km before Afyon
- 264.*Satureja hortensis* *L.*
- 265.*Scutellaria altissima* *L.*
- 266.*Scutellaria baicalensis* *Georgi*
- 267.*Stachys monnieri* (*Gouan*) *P.W.Ball*
'Sarah Pink'
- 268.*Stachys monnieri* (*Gouan*) *P.W.Ball*
'Humello'

Lardizabalaceae

269.*Decaisnea fargesii* *Franch*

Linaceae

270.*Linum grandiflorum rubrum* *Desf.*

Lobeliaceae

271.*Lobelia siphilitica* *L.*

ex: U.S.A. , MI, Clinton Co., Rose Lake Fen

Loasaceae

272.*Blumenbachia hieronymi* *Urb.*

273.*Loasa triphylla* *Juss.*

Lythraceae

274.*Lythrum salicaria* *L.*

Malvaceae

275.*Alcea rosea* *L.*

276.*Anoda cristata* *Schlecht*

277.*Hibiscus trionum* *L.*

278.*Lavatera olbia* *L.*

ex: France, Alpes-Maritimes, Pierrefeu, piste du
Mont Brune

279.*Lavatera thuringiaca* *L.*

Martyniaceae

280.*Ibicella lutea* (*Lindl.*) *Van Eseltine*

281.*Proboscidea louisianica* (*Mill.*) *Thell.*

Morinaceae

282.*Morina longifolia* *Wall.*

Nolanaceae

- 283.*Nolana humifusa* (*Gouan*) *Johnst.*
284.*Nolana paradoxa* *Lindl.*

Nyctaginaceae

- 285.*Mirabilis dichotoma* *L.*

Oenotheraceae

- 286.*Epilobium parviflorum* *L.*
287.*Oenothera tetragona* *Roth* 'Silberblatt'

Oleaceae

- 288.*Ligustrum delavayeanum* *Hariot.*
289.*Ligustrum tschonoskii* *Dcne.*

Papaveraceae

- 290.*Argemone albiflora* *Hornem.*
291.*Eschscholzia californica* *Cham.*
292.*Papaver atlanticum* (*Ball*) *Coss.*
293.*Papaver atlanticum* (*Ball*) *Coss.* 'Plenum'
294.*Papaver lateritium* *Koch.*
ex: Turkey, 5 km S by rd. 925 from Sivrikaya
295. *Papaver paucifoliatum* (*Trautv.*) *Fedde* ex:
Turkey, 3 km W from Subatan (rd. Ani - Kars)
296. *Papaver tauricola* *Boiss.*
ssp. leiocarpum (*Boiss.*) *Fedde*
ex: Turkey, 3 km W from Subatan (rd. Ani - Kars)

Plantaginaceae

- 297.*Plantago afra* *L.*
ex: France, Espot, Pyrénées
298.*Plantago argentea* *Chaix*
ex: Romania, Cojocna, distr. Cluj

299.**Plantago subulata L. granatensis Willk.**
ex: Spain, Sierra Nevada

Plumbaginaceae

- 300.**Acantholimon glumaceum Boiss.**
- 301.**Armeria aliacea (Cav.) Hoffmanns. et Link**
- 302.**Armeria duriaeui Boiss. 'Bevans'**
- 303.**Armeria maritima Willd.**
'Cultivar Mixture'
- 304.**Armeria maritima (Miller) Willd. 'Vesuv'**
- 305.**Armeria x sundermannii hort.**

Polemoniaceae

- 306.**Gilia capitata Sims**
- 307.**Ipomopsis rubra (L.) Wherry**
- 308.**Navarretia squarrosa**
(Eschsch.) Hook. et Arn.

Polygonaceae

- 309.**Rumex sanguineus L. sanguineus**

Portulacaceae

- 310.**Portulaca oleracea L.**

Primulaceae

- 311.**Lysimachia atropurpurea L.**
- 312.**Lysimachia ciliata L.**
ex: U.S.A. , MI, Ingham Co., Legg Park Floodplain,
256 m., 84° 23' W, 42° 42' N
- 313.**Lysimachia lobeloides Wall.**

Ranunculaceae

- 314.**Adonis aestivalis L.**
- 315.**Anemone canadensis L.**

- 316.*Aquilegia chrysantha* A. Gray
 317.*Clematis tangutica* Korsch.
 318.*Consolida ajacis* L.
 319.*Delphinium andesicola* Ewan
 ex: U.S.A., Cochise Co.
 320.*Nigella hispanica* L. 'Curiositaet'
 321.*Nigella orientalis* L. 'Transformer'
 322.*Nigella sativa* L.
 323.*Paeonia officinalis* L.
 324.*Pulsatilla serotina* Magn.
 325.*Pulsatilla vulgaris* Miller
 ex: France, near Velosues, calcareous slope
 326.*Pulsatilla vulgaris* Miller
 327.*Pulsatilla x hybrida* hort. 'Alba'
 328.*Thalictrum minus* L.
 ex: Turkey, 5 km NW by rd. E97(915) from Aşkale

Resedaceae

- 329.*Reseda luteola* L.

Rhamnaceae

- 330.*Rhamnus costata* Maxim.

Rosaceae

- 331.*Acaena saccaticupula* Bitt.
 332.*Cotoneaster franchetii* Spach.
 333.*Cydonia oblonga* Miler.
 334.*Dryas x sundermannii* Sunderm.
 335.*Geum coccineum* Sibth. Sm.
 ex: Turkey, Kutahya, Emet, Egrygoz Dagl
 336.*Potentilla gracilis* Dougl. ex Hook.
 337.*Potentilla gracilis* Hook.
 ssp. *nuttallii* (Lehm.) E. Sheld.
 ex: U.S.A. , Rocky Mountains
 338. *Potentilla* sp.
 ex: U.S.A., CA, Monterey Co., Santa Lucia Mtns.
 339.*Potentilla speciosa* Willd.
 340.*Potentilla thurberi* A. Gray ex Lehm.
 ex: U.S.A. , Arizona, Santa Cruz Co

Rubiaceae

341.*Cruciata laevipes* *Opiz*

Rutaceae

342.*Poncirus trifoliata* (*L.*) *Raf.*

Sapindaceae

343.*Cardiospermum halicacabum* *L.*

Saxifragaceae

344.*Tellima grandiflora* (*Pursh*) *Douglas ex Lindl.* 'Odorata'

Scrophulariaceae

345.*Alonsoa albiflora* *Nicholson*

346.*Alonsoa peduncularis*

347.*Antirrhinum latifolium* *Mill.*

ex: France, Hautes - Alpes

348.*Asarina antirrhiniflora* (*Humb. et Bonpl. ex Willd.*) *Pennell*

349.*Asarina barclayana* (*Lindl.*) *Pennell*

350.*Asarina scandens* (*Cav.*) *Pennell*

351.*Besseyea bullii* (*Eat.*) *Rydb.*

352.*Digitalis dubia* *Rodrig.*

353.*Digitalis grandiflora* *Mill.*

354.*Digitalis lutea* *L.*

355.*Digitalis obscura* *L.*

356.*Digitalis trojana* *Ivanina*

ex: Turkey, Kazdag, Balikesir

357.*Erinus alpinus* *L.*

358.*Hebenstretia comosa* *Hochst.*

359.*Linaria grandiflora* *Desf.*

ex: Turkey, Kutahya - Altintas yol ayrimi - Afyon

360.*Linaria purpurea* (*L.*) *Mill.* 'Canon Went'

361.*Linaria purpurea* (*L.*) *Mill.*

362.*Mimulus cardinalis* *Douglas ex Benth.*

- 363.**Mimulus ringens** *L.*
 364.**Mimulus lewisii** *Pursh*
 ex: Canada, BC, Garibaldi Park
 365.**Penstemon barbatus** (*Cav.*) *Roth*
 ex: U.S.A. , Arizona, Pima Co.
 366.**Penstemon confertus** *Douglas*
 367.**Penstemon nudiflorus** *Gray*
 ex: U.S.A., Arizona, Gila Co.
 368.**Penstemon peckii** *Pennell*
 369.**Pseudolysimachion barrelieri**
 Schott ex Roem. et Schult.
 370.**Scrophularia libanotica** *Boiss.*
 ex: Turkey, prov. Ankara, Kizilcahamam
 371.**Teucrium hircanicum** *L.*
 372.**Torenia fournieri** *Linden, ex. Four.*
 373.**Torenia violacea** (*Azaola ex Blanco*) *Pennell*
 374.**Verbascum nigrum** *L.* 'Album'
 375.**Verbascum phoeniceum** *L.* 'Album'
 376.**Verbascum** sp.
 ex: Turkey, 1 km E from Pasinler
 377.**Veronica multifida** *L.*
 ex: Turkey, Yayladere, (E from Gümüşhane)

Silenaceae

- 378.**Agrostemma githago** *L.*
 379.**Arenaria** sp.
 ex: Turkey, 3 km W from Kireçli Geçidi on rd.
 Tortum - Narman
 380.**Dianthus** sp. 'Tinny Rubies'
 381.**Dianthus anatolicus** *Boiss.*
 382.**Dianthus calocephalus** *Boiss.*
 ex: Turkey, Yayladere, (E from Gümüşhane)
 383.**Dianthus carmelitorum** *Benth. ex Boiss.*
 384.**Dianthus cruentus** *Griseb.*
 385.**Dianthus giganteus** *D'Urv.*
 ex: Romania, Com. Limanu Reservatia Padurea
 Hagieni
 386.**Dianthus gratianopolitanus** *Vill.*
 ex: Czech Rep., Karlštejn
 387.**Dianthus hybridus** *hort.* 'Babí Lom'

 388.**Dianthus lumnitzerii** *Wiesb.*

- ex: Slovak Rep., Slovenský kras, Zádielska dolina
- 389.**Dianthus orientalis Adams in Weber et Mohr**
ex: Turkey, 10 km E by rd. E80(100) from Aşkale
- 390.**Dianthus pančiči Velen.**
- 391.**Dianthus pinifolius Sm.**
ex: Greece: Makedonia, Nomos Pellis, Tzena
- 392.**Dianthus pseudarmeria M.B.**
ex: Romania, Jodetul Botosani, comuna Limanu, Reservatia Padurea Hagieni
- 393.**Dianthus subacaulis Vill. 'Flore Pleno'**
- 394.**Dianthus sylvestris Wulfen in Jacq.**
ssp. *tergestinum (Reichenb.) Hayek*
willd population near Trieste
- 395.**Dianthus turkestanicus Preobr.**
- 396.**Dianthus x hybridus hort. 'Ipswich Pink'**
- 397.**Dianthus x hybridus hort.**
'Maiden Pink Brilliance'
- 398.**Lychnis coronaria (L.) Desr.**
- 399.**Lychnis coronaria (L.) Desr. 'Alba'**
- 400.**Lychnis chalcedonica L.**
- 401.**Lychnis chalcedonica L. 'Apricot'**
- 402.**Lychnis chalcedonica L. 'Pink'**
- 403.**Lychnis viscaria L. 'Alba'**
- 404.**Lychnis x arkwrightii hort 'Vesuvius'**
- 405.**Lychnis x haageana Lemoine 'Molten Lava'**
- 406.**Minuartia circassica**
(Alboff) Woronow ex Grossheim
ex: Turkey, Kalkanli Dag
- 407.**Petrorhagia nanteuilii**
(Burnat) P.W. Ball et Heywood
- 408.**Petrorhagia prolifera**
(L.) P.W. Ball et Heywood
ex: Colline Livornesi, Colognole
- 409.**Saponaria officinalis L.**
- 410.**Silene argaea Fisch. et Mey.**
ex: Turkey, Ercias Dag
- 411.**Silene armeria L.**
ex: France, Castillon - la - Bataille
- 412.**Silene cf. sclerophylla Chowdk.**
ex: Turkey, Paslı Geçidi on rd. 965 to Kars
- 413.**Silene chloropholia Sm.**
- 414.**Silene italica (L.) Pers.**
ex: Italy, Vescovado di Murlo (Siena)

- 415.*Silene pendula* *L.*
416.*Silene pensylvanica* *Michx.*
417.*Silene* sp. 'Weisskelchen'
418.*Silene viridiflora* *L.*
ex: Italy, S. Martino in Grania (Siena)

Solanaceae

- 419.*Spilanthes oleracea* *L.*
420.*Browallia viscosa* *H.B.K.*
421.*Datura metel* *L.*
422.*Nicandra physalodes* (*L.*) *Gaertn.*

Styracaceae

- 423.*Styrax obassia* *Sieb. et Zucc.*

Valerianaceae

- 424.*Centranthus ruber* *DC.*

Verbenaceae

- 425.*Verbena hastata* *L.*
ex: Canada, Toronto, Rouge River valley
426.*Verbena officinalis* *L.*

427.*Verbena stricta* *Vent.*
ex: Canada, Toronto, Highland Creek floodplain,
105 m., 43° 46' N, 79° 12' W
428.*Verbena macdougalii* *Heller*

MONOCOTYLEDONOPSIDA

Amaryllidaceae

- 429.*Ixiolirion tataricum* (*Pall.*) *Herb.*
430.*Leucojum autumnale* *L.*

Commelinaceae

431.*Commelina dianthifolia Delile* 'Dwarf form'
ex: U.S.A., Arizona, Apache Co.

Iridaceae

- 432.*Crocus pulchellus Herb.*
433.*Gladiolus italicus Mill.*
434.*Gladiolus* sp.
Croatia, Slano near Dubrovnik, macchia, Col.: Pavel Sekerka, 08. 2001
435.*Iris bucharica M. Foster*
436.*Iris dichotoma Pall.*
437.*Iris foetidissima L.*
438.*Iris magnifica Vved.*
439.*Iris sibirica L.*
440.*Iris spuria L.*
441.*Iris versicolor L.*
442.*Iris vicaria Vved.*
443.*Sisyrinchium californicum W.T.Aiton*
444.*Sisyrinchium idahoense C. Bickn.*

Liliaceae

- 445.*Agapanthus africanus (L.) Hoffmigg.*
446.*Allium aflatunense B. Fedtsch.*
447.*Allium altaicum Pall.*
448.*Allium atropurpureum Waldst. et Kit.*
449.*Allium atroviolaceum Boiss.*
450.*Allium beesianum W. W. Sm.*
451.*Allium carinatum L.*
452.*Allium cernuum Roth.*
453.*Allium cyrilli Ten.*
454.*Allium farreri Stearn.*
455.*Allium giganteum Regel*
456.*Allium christophii Trautv.*
457.*Allium karataviense Regel*
458.*Allium lusitanicum Link.*
459.*Allium nigrum L.*
460.*Allium pskemense Costa et Wayr.*
461.*Allium szovitsii Regel*
462.*Allium tibeticum Rendle*
463.*Allium triquetrum L.*
464.*Allium turkestanicum Regel*

- 465.*Alstroemeria aurantiaca* *D. Don*
466.*Asphodeline damascena* (*Boiss.*) *Baker*
467.*Asphodeline lutea* (*L.*) *Rchb.*
468.*Asphodeline taurica* (*Pall.*) *Kunth.*
469.*Asphodelus albus* *Mill.*
470.*Bellevalia longistyla* (*Miscz.*) *Grossh.*
471.*Bellevalia pycnantha* (*C. Koch*) *A. Los.*
472.*Bellevalia romana* (*L.*) *Rchb.*
473.*Bellevalia sarmatica* (*Pall. ex Georgi*) *Woron.*
474.*Brimeura amethystina* (*L.*) *Chouard.*
475.*Camassia hyacinthina* *Graeb.*
476.*Camassia leichtlinii* (*Bak.*) *S. Wats.*
477.*Camassia leichtlinii* (*Bak.*) *S. Wats.*
 suksdorfii
478.*Dipcadi serotinum* (*L.*) *Medic.*
479.*Eremurus fuscus* (*O. Fedtsch.*) *Vved.*
480.*Eremurus himalaicus* *Bak.*
481.*Eremurus hissaricus* *Vved.*
482.*Eremurus robustus* *Regel*
483.*Eremurus stenophyllus* *Regel* *bungei* *O. Fedtsch.*
484.*Eremurus tauricus* *Stev.*
485.*Eucomis bicolor* *Bak.*
486.*Eucomis punctata* (*Thunb.*) *L'Herit*
487.*Fritillaria acmopetala* *Boiss.*
488.*Fritillaria armena* *Boiss.*
489.*Fritillaria graeca* *Boiss. et Sprun.*
490.*Fritillaria meleagris* *L.*
491.*Fritillaria orientalis* *Adams.*
492.*Fritillaria ruthenica* *Wikstr.*
493.*Fritillaria tenella* *Bieb.*
494.*Galtonia princeps* (*Bak.*) *Decne*
495.*Galtonia viridiflora* *Verdoorn*
496.*Hyacinthella azurea* (*Fenzl.*) *Chouard*
497.*Hyacinthella heldreichii* (*Boiss.*) *Chouard*
498.*Hyacinthella micrantha* (*Boiss.*) *Chouard*
499.*Hyacinthoides hispanica* (*Mill.*) *Rothm.*
500.*Muscaria armeniacum* *Leichtl. ex Bak.*
501.*Muscaria comosum* (*L.*) *Mill.*
502.*Muscaria discolor* *Boiss. et Hausskn.*
503.*Muscaria massyanum* *Grunert*
504.*Muscaria spreitzenhoferi* (*Heldr. ex Osterm.*)
 Vierh.

- 505.*Muscati tenuiflorum* *Tausch.*
 506.*Nectaroscordum siculum* *Lindl.*
 507.*Ornithogalum arcuatum* *Steven*
 508.*Ornithogalum montanum* *Cyr.*
 509.*Ornithogalum narbonense* *L.*
 510.*Ornithogalum nutans* *L.*
 511.*Ornithogalum orthophyllum* *Ten.*
 512.*Ornithogalum platyphyllum* *Boiss.*
 513.*Ornithogalum pyrenaicum* *L.*
 514.*Ornithogalum umbellatum* *L.*
 515.*Puschkinia scilloides libanotica* (*Zucc.*)
 Boiss.
 516.*Scilla autumnalis* *L.*
 517.*Scilla peruviana* *L.*
 518.*Scilla pratensis* *Waldst. et Kit.*
 519.*Tulipa dasystemon* *Regel*
 520.*Tulipa chrysantha* *Sealy*
 521.*Tulipa saxatilis* *Sieb. et Spreng.*
 522.*Tulipa turkestanica* *Regel*
 523.*Tulipa urumiensis* *Stapf*
 524.*Urginea maritima* (*L.*) *Bak.*
 525.*Veratrum nigrum* *L.*

Poaceae

- 526.*Arrhenatherum elatius*
 (*L.*) *Beauv.ex J.et C. Presl*
 527.*Bouteloua curtipendula* (*Michx.*) *Torr*
 528.*Bouteloua gracilis*
 (*H.B.K.*) *Griffiths non Vasey*
 529.*Briza maxima* *L.*
 530.*Briza minor* *L.*
 531.*Bromus lanceolatus* *Roth*
 532.*Bromus unioloides* (*Willd.*) *H.B.K.*
 533.*Coix lacryma-jobi* *L.*
 534.*Eleusine coracana* (*L.*) *Gaertn.*
 535.*Eragrostis gummiflua* *Nees*
 536.*Eragrostis superba* *Peyr.*
 537.*Festuca armicana* *Kerguélen*
 locus typicus
 ex: France, Hillion, Cote d'Armor
 538.*Festuca altissima* *All.*

- ex: Romania, M-tii Padurea-Craiului, Distr. Bihor
- 539.**Festuca breistrofferi**
Cas, Kerguélen et Plonka ined.
ex: France, Vallée de la Méouge, Hautes-Alpes
- 540.**Festuca centro-appenninica (Mgf.-Dbg.)Mgf.-Dbg.**
Dbg.)Mgf.-Dbg.
- 541.**Festuca curvula Gaudin ssp. curvula**
ex: France, Praz de Lys, Savoie
- 542.**Festuca dalmatica (Hack.) Richt.**
- 543.**Festuca durissima (Hackel) Kerguelen ssp. durissima**
ex: France, Pyrénées Orientales, Puigmal
- 544.**Festuca heterophylla Lam.**
ex: Italy, Il Braccio (Siena)
- 545.**Festuca inops De Not**
- 546.**Festuca juncifolia St. Amans**
ex: France, Plomeur, Finistère
- 547.**Festuca lemanii Bast.**
- 548.**Festuca longifolia Thuill. ssp. pseudocostei**
- 549.**Festuca mairei St. Yves**
- 550.**Festuca matthewsii Cheesem.**
- 551.**Festuca nigrescens Lam. ssp. microphylla Markgr. Dann.**
ex: France, Col de la Crousete, Ariège
- 552.**Festuca rubra L. ssp. arenaria (Osbeck) Areschoug**
ex: France, Manche, Genêts, Bec d'Andaine
- 553.**Festuca sibirica Hack.**
- 554.**Festuca tenuifolia Sibth.**
- 555.**Festuca vasconensis Auquier et Kerguelen**
ex: France, Boucau
- 556.**Festuca yvesii Sennen et Pau ssp. bellottii Kerguélen**
ex: France, Mt. Aigoual, Gard
- 557.**Hystrix patula Moench**
- 558.**Chasmanthium latifolium (Michx.) Yates**
- 559.**Chrysopogon gryllus (L.) Trin.**
- 560.**Koeleria lobata (Bieb.) Roemer et Schultes**
ex: Romania, Hagieni, Distr. Constanta
- 561.**Lagurus ovatus L.**
- 562.**Lamarckia aurea (L.) Moench**
- 563.**Leymus arenarius (L.) Hochst.**
- 564.**Melica altissima atropurpurea L.**
- 565.**Melica ciliata L.**

- 566.*Miscanthus sinensis* 'Cultivar Mixture'
567.*Panicum capillare* 'Fontaine' *L.*
568.*Phalaris canariensis* *L.*
569.*Poa badensis* *Haenke ex Willd.*
570.*Polypogon monspeliensis* (*L.*) *Desf.*
571.*Sesleria bielzii* *Schur.*
572.*Sesleria heufleriana* *Schur.*
 ssp. *hungarica* (*Ujh.*) *Deyl*
573.*Sesleria insularis* *Sommier*
574.*Sesleria tenuifolia* *Schrader*
575.***Stipa* sp.**
 ex: Turkey, lake Çıldır Gölü
576.***Stipa* sp.**
 ex: Turkey, Palandoken

Cover illustration:

Aesculus hippocastanum L.

Reproduced from:

Cv. Ettinghansen et A. Pokorny - Physiotypia
Plantarum Austriacum, Wien, 1856

Please, restrict your request to 15 taxa or less.

Please, return the numbered list not later than
30th April.

All seeds from BG are the result of open
pollination.

Number of the seeds portions of some plants
collected in nature is limited.

Donors of plant collections :

Beijing Botanical Garden

Turpan Botanical Garden

Zoologická a botanická zahrada Plzeň

Bluebird Nursery Inc.

P.O.Box 460, 519 Bryan Street,
Clarkson, Nebraska 68629

Coastal Gardens and Nursery

4611 Socastee, Myrtle Beach
29575 South Carolina

Thirlstane

Ruapuna, Ashburton, New Zealand

Familie Müssel

Kirchweg 10, Heigenhausen, 85395
Wolfersdorf
Germany

Fleuroselect – Organization for testing

new flower seeds, Noordwijk
The Netherlands

Ernst Benary Samenzucht GmbH

Petersweg 72, 34346 Hann. Munden, Germany

Takii Europe B.V.

Hoofdweg 19, 1424 PC de Kwakel,
The Netherlands

Staudengärtnerei Schöllkopf
Gewand Heckenwiesen, Postfach 7137
72735 Reutlingen 11 (Betzingen)
Germany

Zahradnictví Petera
Bažanovická 1615
Praha 9 – Horní Počernice

Ovocné a okrasné školky Litomyšl
T.G. Masaryka 506
570 01 Litomyšl

Reprosam, s.r.o.
Výhradní zástupce společnosti Sakata v ČR
U mlýna 1, 141 00 Praha 4

rodina pana Šaška

rodina pana Sieberta

Václav Lajn
Horka 192, 252 28 Černošice

Ing. Josef Hlavatý, CSc.
Mazurská 516, 181 00 Praha 8

Sponsors of Prague BG:

Palmolive sro., Praha

pan Smrčka, Praha