

# **INDEX SEMINUM**

**2015**



**Botanická zahrada hl. m. Prahy  
Prague Botanical Garden  
Czech Republic**

# INDEX SEMINUM 2015



**Botanická zahrada hl.m. Prahy**  
Trojská 800/196, 171 00 Praha 7  
Czech Republic

[www.botanicka.cz](http://www.botanicka.cz)  
<http://www.florius.cz/troja/>

e-mail: [pavel.sekerka@botanicka.cz](mailto:pavel.sekerka@botanicka.cz)

## **Geographical data:**

Latitude: 50° 07'

Longitude: 17° 24'

Altitude: 180 - 290 m

## **Meteorological data**

Mean temperature: 8.5° C

Mean precipitation: 517 mm

Mean humidity: 75%

## **Seed collectors of Prague Botanical Garden:**

Iveta Bulánková	- curator
Alena Nováková	- curator
Petr Hanzelka	- curator
Eduard Chvosta	- head of gardeners
Klára Lorencová	- curator
Jan Ponert	- curator
Vlastik Rybka	- curator
Romana Rybková	- curator
Pavel Sekerka	- editor of IS
Jarmila Skružná	- curator
Eva Smržová	- curator
Tomáš Vencálek	- curator

## **GNETOPSIDA**

### **Ephedraceae**

1. *Ephedra minima* K.S.Hao

## **PINOPSIDA**

### **Cupressaceae**

2. *Cryptomeria japonica* D.Don

### **Pinaceae**

3. *Pinus bungeana* Zucc. ex Endl.

## **MAGNOLIOPSIDA**

### **Calycanthaceae**

4. *Chimonanthus praecox* (L.) Lindl.  
'Concolor'

### **Lauraceae**

5. *Lindera salicifolia* Boerl.

## **ROSOPSIDA**

### **Anacampserotaceae**

6. *Anacampseros arachnoides* Sims

### **Apiaceae**

7. *Ammi majus* L. 'Queen Ann's Lace'
8. *Astrantia maxima* Pall.
9. *Bupleurum rotundifolium* L. 'Decor'
10. *Eryngium bourgatii* Gouan
11. *Foeniculum vulgare* Miller  
'Purpureum'

## Apocynaceae

12. *Adenium obesum* Roem. & Schult.
13. *Amsonia hubrichtii* Woodson
14. *Asclepias purpurascens* L.
15. *Asclepias verticillata* L.  
ex: Michigan State University: USA, MI,  
Ingham Co., 42° 35' N, 84° 22' W, 271 m
16. *Rauvolfia tetraphylla* L.
17. *Vincetoxicum funebre*  
Boiss. et Kotschy

## Araliaceae

18. *Acanthopanax lasiogyne* Harms

## Asteraceae

19. *Achillea abrotanoides* Vis.
20. *Achillea clypeolata* Sibth. et Sm.  
ex: BG Cluj-Napoca – Univ.: Romania,  
Hagieni - Distr. Constanta,  
leg.: Gh. Groza
21. *Achillea coerctata* Poir.
22. *Achillea grandifolia* Friv.
23. *Achillea nobilis* L.
24. *Achillea teretifolia* Willd.  
ex: Turkey, Sultan Dag, 2000 m
25. *Arctotis venusta* Norl.
26. *Artemisia absinthium* L.  
ex: BG Cogne (Aosta): Italy, Lillaz, Cascade,  
1600 m
27. *Artemisia michauxiana* Besser  
ex: Alplains USA, Carbon Co., MT,  
2805 m
28. *Aster ageratoides* Turcz.  
var. *scaberulus* (Miq.) Ling
29. *Aster amellus* L. var. *ibericus*  
ex: Turkey, Çildir Gölü
30. *Aster ascendens* Lindl.
31. *Aster ericoides* L.

32. *Aster laevis* L.
33. *Aster linosyris* (L.) Bernh.  
ex: Czech, Mikulov, Mariánský lom
34. *Aster ptarmicoides* (Nees) Torr  
ex: BG Nový Dvůr: USA, Illinois, Cook Co.  
(Glencoe)
35. *Aster puniceus* L.
36. *Aster sedifolius* L.
37. *Aster sericeus* Vent.
38. *Aster thomsonii* C.B.Clarke
39. *Cacalia atriplicifolia* L.
40. *Centaurea bella* Trautv.
41. *Centaurea kotschyi* (Boiss.) Hayek  
subsp. *persica* (Boiss.) Greuter
42. *Centaurea odyssei* Wagenitz
43. *Centaurea simplicicaulis*  
Boiss. & A.Huet
44. *Cephalophora aromatica* Schrad.
45. *Coreopsis major* Walter
46. *Cotula* sp.  
ex: RSA, Hermanus, Rotary Road
47. *Echinacea angustifolia* DC.
48. *Echinacea paradoxa* Britton
49. *Echinacea simulata* McGregor
50. *Echinops microcephalus* Sibth.
51. *Emilia coccinea* Sweet
52. *Engelmannia peristenia*  
(Raf.) Goodman & C.A.Lawson
53. *Gaillardia aristata* Pursh  
ex: USA, New Mexico
54. *Gazania lichtensteinii* Less.  
ex: RSA, Goegap
55. *Helianthus maximiliani* Schrad.
56. *Helianthus mollis* Lam.
57. *Helianthus nuttallii* Torr. & A.Gray
58. *Helichrysum aucheri* Boiss.  
ex: BG Göteborg: Turkey, prov Kastamonu,  
Ilgaz Dag Pass, 1800 m

59. *Helichrysum pallasii* Ledeb.  
 60. *Helichrysum plicatum* DC.  
 61. *Helichrysum trilineatum* DC.  
 62. *Heterotheca pumila* (Greene) Semple  
 ex: Rocky Mountain Rare Plants: U.S.A.,  
 Park Co., CO  
 63. *Hieracium pilosella* L. var. *niveum*  
 64. *Chrysanthemum corymbosum* L.  
 ex: BG Sofie: Ad Pontum, promontorium  
 Kaliakra  
 65. *Inula acaulis*  
       Schott & Kotschy ex Boiss.  
       subsp. *caulescens*  
 66. *Inula heterolepis* Boiss.  
 67. *Inula royleana* C.B. Clarke  
 68. *Leucanthemum pallens* DC.  
 69. *Liatris aspera* Michx.  
 70. *Liatris elegans* (Walter) Michx.  
 71. *Liatris pycnostachya* Michx.  
 72. *Liatris spicata* (L.) Willd.  
 ex: BG Weinheim: USA, Wisconsin,  
 Kenosha Co., Chiwaukee Prairie  
 73. *Liatris squarrosa* (L.) Michx.  
 74. *Matricaria grandiflora* (Willd.) Poir.  
       'Golden Pompon'  
 75. *Ratibida columnifera*  
       (Nutt.) Wootton & Standl.  
       f. *pulcherrima* (DC.) Fernald  
 76. *Ratibida mexicana* W.M. Sharp  
 77. *Ratibida pinnata* Barnhart  
 78. *Rudbeckia fulgida* Aiton var. *fulgida*  
 79. *Rudbeckia maxima* Nutt.  
 80. *Rudbeckia missouriensis* Engelm.  
 81. *Rudbeckia missouriensis* Engelm.  
 ex: BG Weinheim USA, Missouri, Shaw  
 Nature Preserve, Dolomite Glade  
 82. *Rudbeckia triloba* L.

83. *Santolina etrusca*  
(Lacaita) Marchi & D'Amato  
ex: BG Siena: Italy, Radicofani (Siena),  
greto del fiume Formone, 290 m
84. *Silphium laciniatum* L.
85. *Silphium terebinthinaceum* Jacq.
86. *Solidago cutleri* Fernald
87. *Solidago drummondii*  
Torr. & A.Gray
88. *Solidago flexicaulis* L.  
ex: BG East Lansing: Ingham county,  
42°43'N, 84° 27'W 253 m
89. *Solidago ohioensis* Riddell  
ex: BG Weinheim: USA, Wisconsin,  
Prairie Nursery
90. *Solidago patula* Muhl. ex Willd.  
ex: BG Weinheim: USA, Michigan, Clinton  
county 84°23'W, 42°48'N, 253 m,  
wet meadow, (Burke Lake Meadow)
91. *Solidago rigida* L.
92. *Solidago roanensis* Porter
93. *Solidago sempervirens* Michx.
94. *Solidago speciosa* Nutt.  
ex: Michigan State University: USA, MI,  
Jackson, Place Name: Portage Lake Prairie,  
dry sand prairie
95. *Tolpis barbata* (L.) Gaertn.
96. *Ursinia nana* DC.
97. *Ursinia* sp.  
ex: RSA, Steinkopf
98. *Ursinia* sp.  
ex: RSA, Pakhuis Pass
99. *Vernonia arkansana* DC.  
ex: USA, Missouri, roadside near Eminence
100. *Vernonia baldwinii* Torr.
101. *Vernonia gigantea* Trel.
102. *Zinnia grandiflora* Nutt.  
ex: Alplains: USA, Fremont Co., CO, 1677 m
103. *Zinnia peruviana* (L.) L.  
(*Z. revoluta* type)



104. *Zinnia peruviana* (L.) L.  
Yellow flowered form

## Betulaceae

105. *Betula ermanii* Cham.  
ex: BG Nový Dvůr: Rossia, Kamtschatka,  
Helicopter airport-village Korjaki, 40km  
From Petrop., 50°53'18''N, 158°12'55''E
106. *Carpinus cordata* Bl.
107. *Corylus sieboldiana* Blume  
ex: BG Bergen: Japan, Honshu,  
Daisen, 1300 m

## Boraginaceae

108. *Cerintho major* L. 'Kiwi Blue'
109. *Cerintho minor* L.  
ex: TR, 3 km from Kireçli Geçidi to Tortum  
Narman
110. *Mertensia ciliata* G.Don
111. *Onosma cinerea* Schreber

## Brassicaceae

112. *Aethionema edentulum* N.Busch
113. *Aethionema grandiflorum*  
Boiss. & Hohen.  
ex: TK, 1 km E from Pasinler
114. *Aethionema pulchellum*  
Boiss. & A.Huet
115. *Aethionema saxatile* (L.) W.T.Aiton  
subsp. *oreophilum* I.A.Andersson
116. *Aethionema schistosum*  
Boiss. & Kotschy
117. *Aethionema speciosum*  
Boiss. & A.Huet
118. *Alyssum wulfenianum* Willd.
119. *Aubrieta canescens* Boiss.
120. *Crambe maritima* L.

**121. *Crambe tataria* Sebeok**

ex: Iasi: Judetul Vaslui, Reservatia naturala  
Fanatele de la Glodeni

**122. *Erysimum diffusum* Ehrh.**

**123. *Isatis tinctoria* L.**

ex: BG Palermo: Italy, Monte Etna (Catania)

## **Bruniaceae**

**124. *Baeckea virgata* Andrews**

## **Burseraceae**

**125. *Bursera fagaroides x schlechtendalii***

## **Buxaceae**

**126. *Sarcococca hookeriana* Baill.**

## **Cactaceae**

**127. *Ferocactus glaucescens***

Britton et Rose

**128. *Opuntia erinacea* Engelm. & Bigel.**

var. *utahensis* (Engelm.) L.D.Benson

ex: USA, Utah, Torrei

**129. *Opuntia littoralis* (Engelm.) Cockerel**

var. *martiniana*

**130. *Opuntia macrorhiza* Engelm.**

ex: USA, Utah, Grand Canyon, South City

## **Campanulaceae**

**131. *Adenophora liliifolia* (L.) A. DC.**

**132. *Campanula alliariifolia* Willd.**

ex: Berlin – Dahlem: Turkey, prov. Artvin,  
Hopa

**133. *Campanula bornmuelleri* Nábělek**

**134. *Campanula collina* M.Bieb.**

**135. *Campanula latifolia* L.**

var. *macrantha* Erhardt & Götz

136. *Campanula ledebouriana* Trautv.  
 137. *Campanula makaschvilii* E. Busch.  
 138. *Campanula mirabilis* Albov  
 ex: BG Bonn: Georgia, Akhmeta, 1295 m  
 139. *Campanula spicata* L.  
 140. *Campanula takesimana* Nakai  
 141. *Campanula topaliana* Beauverd  
 142. *Lobelia inflata* L.  
 ex: BG Montréal Kanada, Québec: Bécancour,  
 lac Saint-Pierre  
 143. *Lobelia syphilitica* L.  
 144. *Michauxia campanuloides*  
 L'Hér. ex Aiton

## Caryophyllaceae

145. *Agrostemma githago* L.  
 'Milas Snow Queen'  
 146. *Dianthus anatolicus* Boiss.  
 147. *Dianthus kitaibelii* Janka  
 subsp. *spiculifolius* (Schur) Sanda  
 ex: BG Iasi: Romania, Reservatia Cheile  
 Bicazului, Judetul Neamt, C. Tanase  
 148. *Dianthus sanguineus* Vis.  
 ex: BG Ljubljana: Divača, 510 m  
 149. *Dianthus serotinus* Waldst.  
 150. *Gypsophila fastigiata* L.  
 151. *Gypsophila sphaerocephala* Fenzl  
 152. *Lychnis viscaria* L. f. *alba*  
 153. *Silene chlorofolia* Sm.  
 ex: BG Izmir: Turkey, Spildagi - Manisa,  
 800 m

## Celastraceae

154. *Euonymus phellomanus* Loes.

## Cistaceae

- 155. *Cistus laurifolius* L.
- 156. *Helianthemum canum* Baumg.
- 157. *Helianthemum cupreum* Sweet
- 158. *Helianthemum oelandicum* (L.) DC.  
subsp. *alpestris* (Jacq.) Breistr.
- 159. *Helianthemum scardica*

## Clusiaceae

- 160. *Hypericum cerastoides*  
(Spach) N. Robson
- 161. *Hypericum olympicum* L.  
ex: BG Sofie: Bulgaria, Mons Rhodopes,  
Prope pagum Beden

## Dipsacaceae

- 162. *Knautia macedonica* Griseb.  
'Melton Pastels'

## Euphorbiaceae

- 163. *Securinega suffruticosa* Rehder

## Fabaceae

- 164. *Baptisia australis* (L.) R.Br.
- 165. *Desmodium canadense* (L.) DC.  
ex: BG Montréal: Canada, Quebec,  
parc National d'Oka, 45°27'54,31''N,  
74°3'41,79''W
- 166. *Dorycnium hirsutum* (L.) Ser.

## Fagaceae

- 167. *Quercus variabilis* Blume

## Gentianaceae

- 168. *Gentiana septemfida* Pall.

## Geraniaceae

- 169. *Geranium oxydendrum* Kunze
- 170. *Geranium soboliferum* Kom.
- 171. *Pelargonium alternans* Wendland
- 172. *Pelargonium barklyi* Scott-Elliot
- 173. *Pelargonium capitatum* (L.) L'Hér.
- 174. *Pelargonium carnosum* (L.) L'Hér.
- 175. *Pelargonium denticulatum* Jacq.
- 176. *Pelargonium incrassatum* Sims
- 177. *Pelargonium nanum* L'Hér. ex DC.
- 178. *Pelargonium oblongatum* E.Mey.
- 179. *Pelargonium oreophilum* Schltr.  
ex: Silverhill Seeds: RSA, Hex River Mnts
- 180. *Pelargonium radens* H. E. Moore
- 181. *Pelargonium schizopetalum* Sweet

## Gesneriaceae

- 182. *Sinningia insularis* Chautems
- 183. *Streptocarpus variabilis* Humbert

## Hamamelidaceae

- 184. *Sinowilsonia henryi* Hemsl.

## Hydrophyllaceae

- 185. *Nemophila maculata* Benth. ex Lindl.
- 186. *Nemophila menziesii* Hook. fil.  
'Penny Black'
- 187. *Nemophila menziesii* Hook. fil.  
'Snowstorm'
- 188. *Phacelia campanularia* A.Gray

## Juglandaceae

- 189. *Juglans ailantifolia* Carriere

## Lamiaceae

190. *Agastache foeniculum* Kuntze  
191. *Agastache rupestris* Standl.  
ex: SW Native Seeds: U.S.A., New Mexico,  
Grand Co., col: Tim Walker  
192. *Blephilia ciliata* Raf.  
ex: BG Weinheim: USA, Missouri, Shaw  
Nature Reserve, Dolomite Glade  
193. *Dracocephalum mairei* H.Lév.  
194. *Marrubium globosum*  
Montbret & Aucher ex Benth.  
195. *Micromeria croatica* (Pers.) Schott  
196. *Micromeria thymifolia* Fritsch.  
197. *Monarda bradburiana* Beck  
198. *Monarda fistulosa* L.  
ex: MI, Shiawassee Co., 253 m  
199. *Nepeta camphorata* Boiss. & Heldr.  
200. *Nepeta kubanica* Pojark.  
201. *Nepeta nuda* L. f. *rosea*  
202. *Nepeta phyllochlamys* P.H.Davis  
203. *Nepeta podostachys* Benth.  
204. *Nepeta racemosa* Lamk.  
ex: BG München: Georgia, Tbilisi area,  
rd from Tbilisi to Digdori, 41°43'26''N,  
44°27'42''E  
205. *Nepeta royleana* R.R.Stewart  
206. *Nepeta schugnanica* Lipsky  
ex: BG Reykjavík: Tadžikistan, Pamir,  
Badchu, 2700 m  
207. *Origanum vulgare* L.  
subsp. *hirtum* (Link) Ietsw.  
208. *Phlomis cashmeriana*  
Royle ex Benth.  
209. *Phlomis lychnitis* L.  
210. *Phlomis macrophylla* Benth.  
ex: Wageningen: India, distr. Darjeeling,  
3600 m, col. Ern 3461 b  
211. *Phlomis russeliana* Lag. ex Benth.

212. *Pycnanthemum albescens*  
Torr. & A.Gray
213. *Pycnanthemum californicum*  
Torr. ex Durand
214. *Pycnanthemum incanum* (L.) Michx.
215. *Pycnanthemum montanum* Michx.
216. *Pycnanthemum muticum* Pers.
217. *Pycnanthemum pilosum* Nutt.
218. *Pycnanthemum tenuifolium* Schrad.
219. *Pycnanthemum virginianum*  
(L.) B.L.Rob. & Fernald
220. *Salvia austriaca* Jacq.  
ex: BG München: Romania, A.Suteu,  
St. Suteu, Satu-Distr. Cluj
221. *Salvia austriaca* Jacq.
222. *Salvia daghestanica* Sosn.
223. *Salvia garedjii* Troitzky  
ex: BG München: Georgia, Dawit Garedschi,  
41°26'44''N, 45°22'31''E, 750 m
224. *Salvia glutinosa* L.  
ex: BG Berlin - Dahlem: Turkey, prov. Rize,  
Dilek Daglari, 1500 m
225. *Salvia hypargeia* Fisch. & C.A.Mey.
226. *Salvia jurisicii* Košanin ex Jurisic
227. *Salvia jurisicii* Košanin ex Jurisic  
'Alba'
228. *Salvia multicaulis* Vahl
229. *Salvia napifolia* Jacq.
230. *Salvia phlomoides* Asso
231. *Salvia scabiosifolia* Lam.
232. *Salvia sclarea* L. 'Alba'
233. *Salvia sclarea* L.
234. *Salvia tomentosa* Miller  
ex: BG Marburg: Turkey, W. Anatolien Mysia,  
Kaz Dag, Eichenmischwald, 1000 m
235. *Salvia transcaucasica* Pobed. 'Alba'

236. *Salvia transsilvanica* Schur  
ex: BG München: Romania, Bistrita Nasaud district, Budesti
237. *Salvia valentina* Vahl
238. *Salvia verbenaca* L.
239. *Satureja montana* L.  
subsp. *illyrica* (Host) Benth.
240. *Scutellaria diffusa* Benth.  
ex: BG Berlin – Dahlem: Turkey, prov. Hatay, Amanusgebirge, Atik
241. *Scutellaria incana* Spreng.
242. *Scutellaria zhongdianensis*
243. *Schizonepeta multifida* (L.) Briq.
244. *Sideritis clandestina* Hayek
245. *Sideritis endressii* Willk.
246. *Sideritis hyssopifolia* L.  
ex: BG Bordeaux: France, Gavarnie (Hautes Pyrénées) palouse á fêtuque, 1650 m, Jean Laporte-Cru
247. *Sideritis phlomoides*  
Boiss. & Balansa
248. *Sideritis scordioides* L.
249. *Sideritis syriaca* L.
250. *Teucrium canadense* L.
251. *Teucrium hircanicum* L.
252. *Thymus comosus* Heuffel ex Griseb.  
ex: Romania, M-tii Padurea-Craiului, Distr. Bihor

## Limnanthaceae

253. *Limnanthes douglasii* R.Br.
254. *Limnanthes douglasii* R.Br.  
'Meringue'

## Linaceae

255. *Linum grandiflorum* Desf. 'Rubrum'
256. *Linum perenne* L.



## Loasaceae

257. *Blumenbachia hieronymi* Urb.  
258. *Loasa triphylla* Juss.

## Malvaceae

259. *Abutilon darwinii* Hook. f.  
260. *Alcea rugosa* Alef.  
261. *Althaea armeniaca* Ten.  
262. *Corchorus olitorius* L.  
263. *Hibiscus ferrugineus* Cav.  
264. *Hibiscus grandidieri* Baill.  
    var. *greveanus*  
    ex: BG Frankfurt am Main – Palmengarten:  
    W Madagascar, Soalala, rd from Mahajanga  
    to Namoroka  
265. *Hibiscus* sp.  
    ex: Kenia, Masai Mara  
266. *Iliamna rivularis* (Douglas) Greene

## Montiaceae

267. *Lewisia cotyledon*  
    (S. Watson) B.L. Robinson  
    ex: Alplains: USA, (W) Josephine Co.,  
    OR, 5600ft, 1707 m  
268. *Lewisia longipetala* (Piper) S. Clay  
    'Little Plum'

## Myrsinaceae

269. *Anagallis monelli* L. 'Blue'

## Oleaceae

270. *Fontanesia fortunei* Carriere  
271. *Fontanesia fortunei* Carriere 'Titan'  
272. *Syringa pinetorum* W. W. Sm.

## Onagraceae

273. *Oenothera organensis*

**Munz ex Emerson**

ex: Alplains: Organ Mts. near Las Cruces.

274. *Zauschneria garrettii* A.Nelson

ex: Alplains: USA, Salt Lake Co., UT, 1920 m

## Paeoniaceae

275. *Paeonia lithophila* Kotov.

## Papaveraceae

276. *Argemone grandiflora* Sweet

277. *Papaver rhoeas* L. 'Lady Bird'

278. *Papaver rupifragum* Boiss. & Reut.  
'Flore Pleno'

279. *Papaver spicatum* Boiss.

## Pedaliaceae

280. *Ceratotheca triloba* E.Mey. ex Bernh.  
f. *alba*

## Phrymaceae

281. *Mimulus naiandinus*

**J.M.Watson & C.Bohlen**

## Plantaginaceae

282. *Asarina erubescens* ( D.Don ) Pennell

283. *Digitalis obscura* L.

284. *Digitalis trojana* Ivanina

285. *Globularia punctata* Lapeyr.

ex: BG Villers - les – Nancy: Haut - Rhinn,  
Rouffach, le Bollenberg, 290 m

286. *Globularia trichosantha*

**Fisch. & C.A.Mey.**

ex: Turkey, 1 km E from Pasinler

287. *Chaenorhinum glareosum*  
(Boiss.) Willk.  
'Blue Dreams'
288. *Linaria purpurea* (L.) Mill.  
'Canon J. Went'
289. *Linaria purpurea* (L.) Mill.  
ex: BG L'Aquila: Italy, Gran Sasso, lugo il  
sentiero per Corno Grande, 2180 m
290. *Penstemon barrettiae* Gray  
ex: USA, Klickitat Co., WA, 76 m
291. *Penstemon digitalis* Nutt. ex Sims
292. *Penstemon hallii* A.Gray  
ex: Alplains: USA, Park Co., CO, 3689 m
293. *Penstemon hirsutus* (L.) Willd.
294. *Penstemon procerus* Douglas  
subsp. *tolmiei* (Hook.) D.D. Keck
295. *Penstemon strictus* Benth.  
ex: SW Native Seeds U.S.A., Arizona,  
Apache Co.
296. *Veronica polifolia* Benth.

## Plumbaginaceae

297. *Goniolimon incanum*  
(L.) F.N. Hepper

## Polemoniaceae

298. *Ipomopsis rubra* (L.) Wherry

## Portulacaceae

299. *Cistanthe grandiflora* Schldl.

## Ranunculaceae

300. *Aconitum firmum* Rchb.  
subsp. *moravicum* Skalický
301. *Aconitum lycoctonum* L.
302. *Aconitum plicatum* Rchb.
303. *Aconitum variegatum* L.

304. *Adonis annua* L.  
305. *Aquilegia canadensis* L.  
306. *Aquilegia canadensis* L.  
ex: BG Montréal: Canada, Quebec, Ile des  
Cascades  
307. *Aquilegia coerulea* E.James  
ex: Alplains: USA, Gunnison Co., CO, 3689 m  
308. *Aquilegia viridiflora* Pall.  
309. *Consolida regalis* S. F. Gray  
310. *Nigella hispanica* L. 'Curiosity'  
311. *Nigella orientalis* L. 'Transformer'

## Rhamnaceae

312. *Rhamnus costata* Maxim.

## Rosaceae

313. *Cotoneaster conspicuus*  
Comber ex C.Marquand & G.Klotz  
314. *Cotoneaster franchetii* Bois  
315. *Cotoneaster roseus* Edgew.  
316. *Geum triflorum* Pursh  
317. *Potentilla fissa* Nutt.  
318. *Potentilla thurberi* A.Gray  
319. *Prinsepia uniflora* Batalin  
320. *Sorbus koehneana* C.K.Schneid.

## Rubiaceae

321. *Coffea arabica* L.  
322. *Morinda citrifolia* L.  
323. *Psychotria erythrocarpa* Schltld.  
324. *Psychotria punctata* Vatke

## Rutaceae

325. *Fortunella crassifolia* Swingle  
326. *Tetradium daniellii* T. G. Hartley

## Sapindaceae

327. *Acer griseum* (Franch.) Pax

## Saxifragaceae

328. *Heuchera americana* L.

329. *Heuchera americana* L. var. *hispida*

330. *Heuchera cylindrica* Douglas

331. *Heuchera parishii* Rydb.

ex: Northwest Native Seeds: U.S.A., CA, San Bernardino Co., San Bernardino Mtns, Cienega Creek, Ron Ratko

332. *Heuchera parviflora* Bartl.

var. *nivalis* A. Lowe

ex: Alplains: USA, (W) Lake Co., CO, 3900m.

333. *Heuchera pulchella*

Wootton & Standl.

334. *Heuchera richardsonii* R.Br.

335. *Heuchera rubescens* Torr.

var. *rubescens*

ex: Alplains: USA, (W) Sevier Co., UT, 1982 m

336. *Heuchera rubescens* Torr.

var. *versicolor*

ex: Alplains: USA, Lincoln Co., NM, 3050 m

337. *Tellima grandiflora* Douglas

## Scrophulariaceae

338. *Verbascum undulatum* Lam.

## Solanaceae

339. *Browallia americana* L. 'Amethyst'

## Staphyleaceae

340. *Staphylea trifolia* L.

ex: Niagara Parks BG: Canada, Ontario, Niagara Glen, Niagara Falls

## Styraceaceae

341. *Pterostyrax hispidus* Siebold & Zucc.  
342. *Styrax obassia* Siebold & Zucc.

## Ulmaceae

343. *Celtis jessoensis* Koidz.  
344. *Boehmeria nivea* (L.) Gaud.

## Valerianaceae

345. *Centranthus ruber* (L.) DC.  
346. *Centranthus ruber* (L.) DC. 'Albus'

## Verbenaceae

347. *Verbena hastata* L.  
348. *Verbena macdougalii* A.Heller  
349. *Verbena stricta* Vent.

## Vitaceae

350. *Cyphostemma juttae* Desc.

## Zygophyllaceae

351. *Peganum harmala* L.  
ex: Turkey, Ocakli - Ani

## LILIOPSIDA

### Amaryllidaceae

352. *Allium christophii* Trautv.  
353. *Allium schuberti* Zucc.

## Araceae

354. *Arum italicum* Mill.  
var. *neglectum* F.Towns.  
ex: Macedonia, Tetovo, CEH 555

## Asparagaceae

- 355. *Bellevalia longipes* Post**  
ex: Turkey, 20 km NE from Şanlıurfa
- 356. *Bellevalia longistyla* (Misch.) Grossh.**  
ex: Turkey, Kurubaş Geçidi on rd. Van –  
Gurpinar
- 357. *Bellevalia mauritanica* Pomel**
- 358. *Bellevalia pycnantha* Losinsk.**  
ex: Turkey, Burnubulak, rd. Tutak - Malazgirt
- 359. *Bellevalia romana* Sweet**
- 360. *Dipcadi serotinum* Medik.**  
ex: Spain, Monasterio de Yusta
- 361. *Hyacinthella acutiloba***  
**K.Perss. & Wendelbo**  
ex: Turkey, 52 km NE from Beyşehir
- 362. *Hyacinthella glabrescens***  
**K.Persson et Wendelbo**  
ex: Turkey, 9 km N by rd E90 (750) from  
Pozanti
- 363. *Hyacinthella heldreichii* Chouard**  
ex: Turkey, 15 km NE from Karaağaç
- 364. *Hyacinthella hispida* Chouard**  
ex: Turkey, rd Mut - Silifke,
- 365. *Hyacinthella lineata***  
**(Steud.) Chouard**  
ex: Turkey, Akçapınar on rd.Seydişehir –  
Bozkir
- 366. *Hyacinthoides vincentina* Rothm.**  
**var. *alba***
- 367. *Muscari muscarimi* Medik.**
- 368. *Scilla forbesii* (Baker) Speta**
- 369. *Scilla litardierei* Breistr.**
- 370. *Scilla vindobonensis* Speta**

## Colchicaceae

- 371. *Colchicum cilicicum* Damm.**

## Costaceae

372. *Cheilocostus lacerus*  
(Gagnep.) C.D.Specht  
ex: Thailand, Chiang Mai Prov.

## Dioscoreaceae

373. *Dioscorea sansibariensis* Pax

## Iridaceae

374. *Belamcanda* sp.  
ex: China, Hunan, Wulingyan
375. *Crocus goulimyi* Turrill
376. *Iris attica* Boiss. & Heldr.  
ex: Greece, Parnass
377. *Iris foetidissima* L.
378. *Iris illyrica* Tomm. ex Vis.  
ex: Slovenia, Nanos, Razdrto
379. *Iris imbricata* Lindl.
380. *Iris mesopotamica* Dykes  
ex: Greece, Mykény
381. *Iris pseudopumila* Tineo  
ex: Italy, Gargano
382. *Iris setosa* Pall. ex Link
383. *Iris bicapitata* Colas.  
ex: Italy, Gargano
384. *Iris* sp.  
ex: China, Gansu, Jiuquan
385. *Iris* sp.  
ex: China, Ningxia
386. *Iris* sp.  
ex: China, Nei Mongol, Mus us shamo
387. *Iris* sp.  
ex: Turkey, Kaynarca
388. *Iris* sp.  
ex: Italy, Gargano, Puglia, silnice nad San ,  
Giovanni Rotondo
389. *Iris taochia* Woronow ex Grossh.  
ex: Turkey, 3 km N by rd 950 from Torul



390. *Sisyrinchium striatum* Sm.

## Liliaceae

391. *Fritillaria acmopetala* Boiss.  
'Brunette'

392. *Fritillaria elwesii* Boiss.

393. *Fritillaria meleagris* L.

## Melanthiaceae

394. *Veratrum nigrum* L.

## Orchidaceae

395. *Bletilla ochracea* Schltr.

396. *Bletilla striata* Rchb.f.

397. *Cypripedium cordigerum* D.Don

398. *Cypripedium henryi* Rolfe

## Poaceae

399. *Andropogon gerardii* Vitman

400. *Andropogon scoparius* Michx.

401. *Coix lacryma-jobi* L.

402. *Chrysopogon gryllus* (L.) Trin.

403. *Poa araratica* Trautv.

404. *Sesleria autumnalis* F.W.Schultz

405. *Sesleria bielzii* Schur

406. *Sporobolus heterolepis* A.Gray

407. *Stipa tenuissima* Trin.

ex: USA, Texas, 13 N 29° 16.468',  
W 103° 17.191', 2000 m

## Xanthorrhoeaceae

408. *Aloe branddraaiensis* Groenew.

ex: Silverhill Seeds: RSA, Ohrigstad

409. *Aloe cooperi* Baker

- 410. *Aloe greatheadei* Schönland**  
**var. *davyana* Glen & D.S.Hardy**  
ex: Silverhill Seeds: RSA, Gauteng
- 411. *Aloe ibitiensis* H.Perrier**
- 412. *Aloe maculata* All.**  
ex: Silverhill Seeds: RSA, Grahamstown,  
E. Cape
- 413. *Aloe swynnertonii* Rendle**
- 414. *Aloe viguieri* H.Perrier**  
ex: Madagascar, San Augustin
- 415. *Aloe vogtsii* Reynolds**  
ex: Silverhill Seeds: RSA, Mpumalanga
- 416. *Eremurus robustus* Regel**
- 417. *Hemerocallis minor* Mill.**
- 418. *Hemerocallis* sp.**  
ex: China, Nei Mongol
- 419. *Phormium cookianum* Le Jol.**

## **Zingiberaceae**

- 420. *Hedychium gardnerianum* Ker Gawl.**

**Cover illustration reproduced from:**

Cv. Ettinghansen et A. Pokorny - *Physiotypia Plantarum Austriacum*, Wien, 1856

All seeds from BG are the result of open pollination.

Taxonomy based on database [florius.cz](http://www.florius.cz)

Information about plants origin you can obtain on <http://www.florius.cz/troja/>

**Your address:**

Please, restrict your request to 15 taxa or less.

Please, return the numbered list not later than 30<sup>th</sup> May.

Phytosanitary certificate YES                      NO ?

**DESIDERATA :**