


INDEX SEMINUM

2013



**Botanická zahrada hl. m. Prahy
Prague Botanical Garden
Czech Republic**

INDEX SEMINUM

2013



Botanická zahrada hl.m. Prahy
Nádvorní 134, 171 00 Praha 7
Czech Republic

www.botanicka.cz
<http://www.florius.cz/troja/>

tel:
+420 2 34148111

fax:
+420 2 33542629

e-mail:
index@botanicka.cz
pavel.sekerka@botanicka.cz

Geographical data:

Latitude: 50° 07′

Longitude: 17° 24′

Altitude: 180 - 290 m

Meteorological data

Mean temperature: 8.5° C

Mean precipitation: 517 mm

Mean humidity: 75%

Seed collectors of Prague Botanical Garden:

Iveta Bulánková	- curator
Martin Dvořák	- curator
Alena Nováková	- curator
Petr Hanzelka	- curator
Eduard Chvosta	- head of gardeners
Jan Ponert	- curator
Vlastik Rybka	- curator
Romana Rybková	- curator
Pavel Sekerka	- curator, editor of IS
Kamila Skálová	- curator
Jarmila Skružná	- curator
Eva Smržová	- curator
Tomáš Vencálek	- curator

GNETOPSIDA
Ephedraceae

1. *Ephedra minima* K.S.Hao

PINOPSIDA
Cupressaceae

2. *Cryptomeria japonica* (Thunb. ex L.f.) D.Don
3. *Chamaecyparis obtusa* (Siebold & Zucc.)
Endl.
4. *Thuja orientalis* L.

Pinaceae

5. *Larix kaempferi* (Lamb.) Carriere
6. *Larix olgensis* A.Henry
7. *Tsuga sieboldii* Carr.

ROSOPSIDA
Acanthaceae

8. *Aphelandra aurantiaca* (Scheidw.) Lindl.
Guatemala, Chisec - Cubilhuitz
9. *Barleria albostellata* C.B.Clarke

Adoxaceae

10. *Viburnum dilatatum* Thunb.
ex: Ofuna BG: Japan, Hakone, Ofuna –
Kanagawa, Mt. Myojo, 850 m

Amaranthaceae

11. *Celosia huttonii* Mast.
12. *Gomphrena celosioides* Mart.
f. roseiflora

Apiaceae

13. *Eryngium bourgatii* Gouan
14. *Eryngium foetidum* L.

15. *Myrrhis odorata* (L.) Scop.
16. *Seseli pallasii* Besser
ex: Cluj-Napoca Univ. BG: Romania, Cheile
Turzii, Distr. Cluj

Apocynaceae

17. *Adenium obesum* Roem. & Schult.
18. *Amsonia ciliata* Walter
19. *Asclepias incarnata* L.
20. *Asclepias purpurascens* L.
21. *Carissa macrocarpa* (Eckl.) A.DC.
22. *Rauvolfia heterophylla* Willd. & Schult.
23. *Rauvolfia serpentina* Benth.ex Kurz
24. *Vincetoxicum funebre* Boiss. et Kotschy

Araliaceae

25. *Acanthopanax henryi* (Oliv.) Harms
26. *Acanthopanax lasiogyne* Harms

Asteraceae

27. *Achillea clypeolata* Sibth. et Sm.
ex: Cluj-Napoca Univ. BG: Romania, Hagieni
Distr. Constanta, leg.: Gh. Groza
28. *Arnica chamissonis* Less. var. *foliosa*
29. *Artemisia absinthium* L.
30. *Aster amellus* L. var. *ibericus*
ex: Turkey, lake Çıldır Gölü
31. *Aster divaricatus* L.
32. *Aster ericoides* L.
33. *Aster laevis* L.
34. *Aster macrophyllus* L.
ex: East Lansing BG: USA, MI, Ingham Co,
Baker Woodlot mesic southern forest
35. *Aster ptarmicoides* (Nees) Torr
ex: Arboretum Nový Dvůr: USA, Illinois, Cook
Co. (Glencoe)
36. *Aster puniceus* L.
37. *Aster sedifolius* L. 'Nanus'
38. *Aster turbinellus* Lindl. in Hook.
39. *Coreopsis major* Walter
40. *Coreopsis palmata* Nutt.
41. *Cotula* sp.

ex: Republic of S. Africa, Hermanus Rotary
Road

42. *Echinacea angustifolia* DC.
43. *Echinacea pallida* (Nutt.) Nutt.
44. *Echinacea paradoxa* (Norton) Britton
45. *Emilia coccinea* Sweet
46. *Felicia aethiopica* (Burm. f.) Adams & Salter
47. *Gaillardia aristata* Pursh 'Sundance'
48. *Gazania krebsiana* Less.
49. *Helianthus maximiliani* Schrad.
50. *Helianthus mollis* Lam.
51. *Helianthus nuttallii* Torr. & A.Gray
52. *Helichrysum aucheri* Boiss.
ex: Göteborg BG: Turkey, prov. Kastamonu,
Ilgaz Dag Pass, 1800 m
53. *Helichrysum trilineatum* DC.
54. *Heterotheca pumila* (Greene) Semple
ex: Rocky Mountain Rare Plants: U.S.A., CO,
Park Co., elev. 12200
55. *Chrysanthemum corymbosum* L.
56. *Kleinia neriifolia* Haw.
57. *Liatris elegans* (Walter) Michx.
58. *Liatris scariosa* (L.) Willd. 'Alba'
59. *Liatris squarrosa* (L.) Michx.
60. *Ligularia sibirica* (L.) Cass.
ex: Czech Rep., PR Slunečný Dvůr
61. *Osteospermum hyoseroides* (DC.) Norl.
62. *Parthenium integrifolium* L.
63. *Ratibida columnifera* Wooton & Standl.
f. *pulcherrima*
64. *Ratibida columnifera* Wooton & Standl.
65. *Ratibida pinnata* Barnhart
66. *Rudbeckia fulgida* Aiton var. *fulgida*
67. *Rudbeckia maxima* Nutt.
68. *Rudbeckia missouriensis*
Engelm. ex C.L.Boynton & Beadle
ex: Weinheim BG: USA, Missouri, Shaw Nature
Preserve, Dolomite Glade
69. *Rudbeckia triloba* L.
70. *Santolina etrusca* Marchi & D'Amato
ex: Siena BG: Italy, Radicofani (Siena), greto
del fiume Formone, 290 m
71. *Senecio cuneatus* Hook.f.
72. *Senecio cylindricus* (A.Berger) H.Jacobsen
73. *Senecio longiflorus* Sch.Bip.
subsp. *madagascariensis*

74. *Silphium laciniatum* L.
75. *Silphium terebinthinaceum* Jacq.
76. *Solidago cutleri* Fernald
77. *Solidago drummondii* Torr. & A.Gray
78. *Solidago flexicaulis* L
ex: W.J.Beal BG: USA, Ingham county,
42°43'N, 84° 27'W, 253 m
79. *Solidago ohioensis* Riddell
80. *Solidago rigida* L.
81. *Solidago roanensis* Porter
82. *Solidago speciosa* Nutt.
ex: Michigan State University BG: USA, MI,
Jackson, Portage Lake, Prairie dry sand prairie
83. *Solidago virgaurea* L.
84. *Tagetes minuta* L.
85. *Ursinia anthemoides* (L.) Poir.
86. *Ursinia cakilefolia* DC.
87. *Ursinia calenduliflora* (DC.) N.E.Br.
88. *Ursinia* sp.
ex: Republic of S. Africa, Steinkopf
89. *Vernonia arkansana* DC.
90. *Vernonia baldwinii* Torr.
91. *Vernonia fasciculata* Michx.
92. *Vernonia gigantea* Trel.
93. *Zinnia angustifolia* Kunth 'Crystal Yellow'

Begoniaceae

94. *Begonia fuchsoides* Hook.
95. *Begonia sutherlandii* Hook.f.

Betulaceae

96. *Corylus sieboldiana* Blume var. *mandshurica*

Boraginaceae

97. *Cerithe major* L. 'Kiwi Blue'
98. *Cerithe minor* L.
ex: Turkey, 3 km W from Kireçli Geçidi, rd.
Tortum – Narman, coll.:P. Sekerka V. Huml
99. *Nemophila maculata* Benth. ex Lindl.
100. *Nemophila menziesii* Hook. fil. et. Arnott.
'Penny Black'
101. *Omphalodes linifolia* Moench

102. *Onosma cinerea* Schreber
103. *Phacelia campanularia* A.Gray

Brassicaceae

104. *Aethionema grandiflorum* Boiss. & Hohen.
ex: Turkey, 1 km E from Pasinler
105. *Alyssum graecum* Kuntze
106. *Isatis tinctoria* L.
ex: Palermo BG: Monte Etna (Catania)

Buxaceae

107. *Sarcococca hookeriana* Baill. var. *digyna*

Campanulaceae

108. *Campanula alliarifolia* Willd.
ex: Berlin – Dahlem BG: Turkey, prov. Artvin,
Hopa
109. *Campanula makaschvilii* E. Busch.
110. *Campanula takesimana* Nakai

Caryophyllaceae

111. *Dianthus anatolicus* Boiss.
112. *Dianthus kitaibelii* Janka subsp. *spiculifolius*
ex: Iași BG: Romania, Reservatia Cheile
Bicazului, Judetul Neamt, C. Tanase
113. *Lychnis coronaria* (L.) Desr. 'Alba'
114. *Lychnis yunnanensis* Baker f.
115. *Silene chlorofolia* Sm.
ex: IzmirBG: Turkey, Spildagi – Manisa, 800 m

Celastraceae

116. *Euonymus phellomanus* Loes. ex Diels

Cistaceae

- 117. *Cistus laurifolius* L.
- 118. *Helianthemum canum* Baumg.
- 119. *Helianthemum oelandicum* (L.) DC.
subsp. *alpestre*

Clusiaceae

- 120. *Hypericum olympicum* L.
ex: Sofie BG of AS: Bulgaria, Mons Rhodopes,
Prope pagum Beden

Convolvulaceae

- 121. *Ipomoea lobata* (Cerv.) Thell.

Crassulaceae

- 122. *Aeonium glutinosum* (Ait.) Webb & Berthel.
- 123. *Echeveria purpurorum* A.Berger & Prantl
- 124. *Kalanchoe lucile-allorgei*
Rauh et Mangelsdorff
ex: Tübingen BG: Madagaskar, Behamara near
Antsalova
- 125. *Lenophyllum* sp.

Cucurbitaceae

- 126. *Luffa cylindrica* (L.) M. Roem.

Droseraceae

- 127. *Drosera burmanni* Vahl
ex: Australia, Northern Territory. Litchfield.
Coll.: Allen Lowrie
- 128. *Drosera filiformis* Raf.
var. *filiformis*
ex: USA, New Jersey, Lebanon State Forest,
Pakim Pond.

129. *Drosera peltata* Thunb.
ex: Australia, Kangaroo Island Birchmoor
lagoon. Coll.: Allen Lowrie
130. *Drosera peltata* Thunb.
Coll.: Allen Lowrie
131. *Drosera spatulata* Labill.

Euphorbiaceae

132. *Euphorbia bubalina* Boiss.
133. *Securinega suffruticosa* (Pall.) Rehder

Fabaceae

134. *Bauhinia jenningsii* P.Wilson ex Britton
ex: Mexiko, Yucatán near Chetumal.
135. *Baptisia australis* (L.) R.Br.
136. *Dalea purpurea* Vent.
137. *Kennedia beckxiana* F.Muell.

Geraniaceae

138. *Geranium oxydendrum* Kunze
139. *Pelargonium alchemilloides* (L.) L'Hér.
140. *Pelargonium aridum* R.A.Dyer
141. *Pelargonium capitatum* (L.) L'Hér.
142. *Pelargonium ceratophyllum* L'Her.
ex: Palkowitschia: Republic of S. Africa,
Alexander Bay
143. *Pelargonium cucullatum* (L.) L'Hérit.
subsp. *strigifolium*
144. *Pelargonium graveolens* L'Hér.
145. *Pelargonium hirtum* (Burm. f.) Jacq.
146. *Pelargonium hispidum* (L.) Willd.
147. *Pelargonium chamaedrifolium* Jacq.
148. *Pelargonium laxum* Steud.
149. *Pelargonium mollicomum* Fourc.
150. *Pelargonium oblongatum* E.Mey.
151. *Pelargonium papilionaceum* (L.) L'Hérit.
152. *Pelargonium pseudoglutinosum* Knuth
153. *Pelargonium radens* H. E. Moore
154. *Pelargonium roseum* R.Br.
155. *Pelargonium stenopetalum* Ehrh.

156. *Pelargonium tabulare* L'Hér.
157. *Pelargonium tomentosum* Jacq.
158. *Pelargonium vitifolium* (L.) L'Hér.
159. *Pelargonium zonale* (L.) L'Hér.
ex: Silverhill Seeds: Republic of S. Africa,
Tsitsikamma, Cold Stream

Gesneriaceae

160. *Streptocarpus rexii* Lindl.

Juglandaceae

161. *Juglans ailantifolia* Carriere

Lamiaceae

162. *Agastache breviflora*
Epling in Kearney & Peebles
ex: Alplains: USA, Cochise Co., AZ, 2104 m
163. *Agastache foeniculum* **Kuntze**
164. *Agastache nepetoides* **Shafer**
ex: Michigan State University BG: USA,
Michigan, Ingham Co., 42°41'N, 84°28'W
265m
165. *Clerodendrum trichotomum* **Thunb.**
var. fargesii
166. *Lallemantia canescens* **Fisch. & C.A.Mey.**
167. *Lamium orvala* **L.**
168. *Micromeria thymifolia* (Scop.) **Fritsch.**
169. *Monarda bradburiana* **Beck**
170. *Monarda fistulosa* **L.**
ex: Michigan State University BG: USA, MI,
Shiawassee Co., 253m
171. *Monarda menthifolia* **S.A.Graham**
ex: SW Native Seeds: U.S.A., Arizona, Apache
Co. Coll: Tim Walker
172. *Nepeta nuda* **L. f. rosea**
173. *Nepeta nuda* **L.**
174. *Nepeta royleana* **R.R.Stewart**
175. *Nepeta wilsonii* **Duthie**
ex: Göteborg BG: China, Sichuan, between
Aba and Longriba, 3600 m
176. *Phlomis macrophylla* **Benth.**
ex: Wageningen BG: India distr. Darjeeling

- 3600m. Col. Ern3461 b
177. *Pycnanthemum californicum* Torr.
 178. *Pycnanthemum muticum* Pers.
 179. *Pycnanthemum pilosum* Nutt.
 180. *Pycnanthemum tenuifolium* Schrad.
 181. *Pycnanthemum virginianum*
(L.) B.L.Rob. & Fernald
 182. *Salvia amplexicaulis* hort. ex Benth.
 183. *Salvia austriaca* Jacq.
 184. *Salvia glutinosa* L.
ex: Berlin – Dahlem BG: Turkey, prov Rize,
Dilek Daglari, 1500 m
 185. *Salvia multicaulis* Vahl
 186. *Salvia napifolia* Jacq.
 187. *Salvia sclarea* L.
 188. *Salvia tomentosa* Miller
ex: Marburg: Turkey, W. Anatolien, Mysia Kaz
Dag, Eichenmischwald, 1000 m, VM 1986
 189. *Salvia transcaucasica* Pobed. 'Alba'
 190. *Salvia transilvanica* Schur
 191. *Scutellaria baicalensis* Georgi
 192. *Scutellaria incana* Spreng.
 193. *Schizonepeta multifida* (L.) Briq.
ex: Mongolia, Zaishan. Coll: Uher Jiří
 194. *Sideritis hyssopifolia* L.
ex: Bordeaux BG: France, Gavarnie (Hautes
Parénées), palouse á féтуque, 1650 m, Jean
Laporte-Cru
 195. *Teucrium canadense* L.
 196. *Thymus comosus* Heuffel ex Griseb.
ex: Romania, M-tii Padurea-Craiului,
Distr. Bihor

Lentibulariaceae

197. *Gentlisea filiformis* St.Hill.
198. *Gentlisea roraimensis* N.E.Br.
ex: Venezuela, Cerro, Huachamacari.
199. *Pinguicula hemiepiphytica* Zamudio & Rzed.
ex: Mexico, Oaxaca, Sierra de Juarez

200. *Pinguicula moctezumae*
Zamudio & R.Z.Ortega
ex: Mexico, Rio Moctezuma
201. *Utricularia alpina* Jacq.
202. *Utricularia dichotoma* Labill.
ex: Australia, Esperance
203. *Utricularia geminiloba* Benj. .
204. *Utricularia monanthos* J. D. Hook.
ex: Tasmania, Hartz Mts.

Limnanthaceae

205. *Limnanthes douglasii* R.Br. 'Meringue'
206. *Limnanthes douglasii* R.Br.

Linaceae

207. *Linum salsoloides* Lam.

Loasaceae

208. *Blumenbachia hieronymi* Urb.

Lythraceae

209. *Lagerstroemia indica* L. 'Peking 1'

Malvaceae

210. *Alcea rugosa* Alef.
211. *Hibiscus ferrugineus* Cav.
212. *Hibiscus grandidieri* Baill. var. *greveanus*
ex: Frankfurt am Main Palmengarten BG: W
Madagaskar, Soalala, rd. Mahajanga to
Namoroka
213. *Iliamna rivularis* (Douglas) Greene

Melastomataceae

214. *Medinilla loranthoides* Naudin
215. *Medinilla speciosa* Blume

Myrsinaceae

- 216. *Anagallis monelli* L. 'Blue'
- 217. *Cyclamen coum* Mill. var. *caucasicum*
Turecko, Bolu. Coll: Fišerová Dana
- 218. *Cyclamen hederifolium* Willd.

Myrtaceae

- 219. *Psidium cattleianum* Sabine
var. *lucidum*
- 220. *Psidium cattleianum* Sabine

Oleaceae

- 221. *Fontanesia fortunei* Carriere
- 222. *Ligustrum tschonoskii* Dcne.

Orobanchaceae

- 223. *Aeginetia indica*

Paeoniaceae

- 224. *Paeonia officinalis* L.

Papaveraceae

- 225. *Papaver rupifragum* Boiss. & Reut.
'Flore Pleno'
- 226. *Papaver spicatum* Boiss. et B
var. *spicatum*

Phrymaceae

- 227. *Mimulus naiandinus*
J.M.Watson & C.Bohlen

Phytolaccaceae

- 228. *Rivina humilis* L.
ex: Guatemala, Salamá-rezervace Mario Dary
Rivera

Pittosporaceae

229. *Pittosporum undulatum* Vent.

Plantaginaceae

230. *Globularia punctata* Lapeyr.

231. *Globularia* sp.

ex: Turkey, 1 km E from Pasinler.

Coll: Pavel Sekerka

232. *Globularia trichosantha* Fisch. & C.A.Mey.

ex: Turkey, Faşikan Geçidi, on rd. Hadim –
Ermenek, 1900 m

233. *Chaenorhinum glareosum* (Boiss.) Willk.
'Blue Dreams'

234. *Linaria purpurea* (L.) Mill.

ex: L'Aquila BG: Gran Sasso, lugo il sentiero
per Corno Grande, 2180 m

235. *Penstemon serrulatus* Menz.

236. *Penstemon smallii* A.Heller

237. *Penstemon strictus* Benth.

ex: SW Native Seeds: U.S.A., Arizona,
Apache Co.

Plumbaginaceae

238. *Goniolimon incanum* (L.) F.N. Hepper

Polemoniaceae

239. *Linanthus androsaceus* (Benth.) Greene

'French Hybrids'

Portulacaceae

240. *Anacampseros lanceolata* Sweet

Proteaceae

241. *Hakea* sp.

Ranunculaceae

242. *Adonis aestivalis* L.

Rhamnaceae

243. *Ceanothus americanus* L.

244. *Rhamnus costata* Maxim.

Rosaceae

245. *Cotoneaster conspicuus*

Comber ex C.Marquand & G.Klotz

246. *Cotoneaster franchetii* Bois

247. *Cotoneaster roseus* Edgew.

248. *Potentilla fissa* Nutt.

249. *Potentilla speciosa* Willd.

250. *Potentilla thurberi* A.Gray

251. *Sorbus koehneana* C.K.Schneid.

252. *Sorbus pogonopetala* Koehne

ex: Liverpool BG: China, Sichuan, Muli kulu,
3200 m

Rubiaceae

253. *Morinda citrifolia* L.

254. *Psychotria bacteriophila* Valetton

255. *Psychotria carthagenensis* Jacq.

256. *Psychotria punctata* Vatke

Rutaceae

257. *Dictamnus turkestanicus* Vved.

258. *Murraya paniculata* (L.) Jack

Sapindaceae

259. *Acer palmatum* Thunb. ex Murray
'Bloodgood'

260. *Acer palmatum* Thunb. ex Murray
'Linearilobum'

261. *Acer palmatum* Thunb. ex Murray
'Nigrum'

262. *Acer palmatum* Thunb. ex Murray

- ‘Rufescens’
263. *Acer rufinerve* Siebold & Zucc.

Saxifragaceae

264. *Heuchera rubescens* Torr. var. *versicolor*
ex: Alplains: USA, Lincoln Co., NM, 3050 m.
265. *Tellima grandiflora* Douglas ex Lindl.
‘Delhine’

Scrophulariaceae

266. *Eremophila glabra* (R. Br.) Oстенf.
267. *Nemesia strumosa* Benth.
268. *Phygelius aequalis* Harv. ex Hiern
ex: Tübingen BG: South Africa Free State, Mt.
Aux-Sources, Witsiehoek Mt. Resort

Solanaceae

269. *Browallia americana* L.
270. *Capsicum annuum* L. ‘Black Prince’
271. *Capsicum annuum* L. ‘Rocoto rojo’
272. *Capsicum annuum* L. ‘Ají dulce’
273. *Capsicum annuum* L. ‘Chile piquin’
274. *Capsicum annuum* L. ‘Chile picante’
275. *Capsicum annuum* L. ‘Chile arbol’
276. *Cyphomandra betacea* (Cav.) Sendtn.
277. *Nolana paradoxa* Lindl. ‘Blue Bird’
278. *Physalis peruviana* L.
279. *Solanum sessiliflorum* Dunal in Poir.

Styraceceae

280. *Pterostyrax hispidus* Siebold & Zucc.
281. *Styrax obassia* Siebold & Zucc.

Urticaceae

282. *Boehmeria nivea* (L.) Gaud.

Verbenaceae

- 283. *Verbena hastata* L.
- 284. *Verbena macdougalii* A.Heller
- 285. *Verbena stricta* Vent.

LILIOPSIDA

Alismataceae

- 286. *Echinodorus major* (Micheli) Rataj
- 287. *Echinodorus subulatus*
(L.) Engelm. ex A.Gray
- 288. *Echinodorus grandiflorus* Micheli
- 289. *Echinodorus berteroi* (Spreng.) Fassett
- 290. *Echinodorus glaucus* Rataj

Alliaceae

- 291. *Allium christophii* Trautv.
- 292. *Allium karataviense* Regel
- 293. *Allium olympicum* Boiss.
- 294. *Allium schuberti* Zucc.

Amaryllidaceae

- 295. *Clivia gardenii* Hook.
- 296. *Narcissus papyraceus* Ker Gawl.
ex: Jim & Jenny Archibald: Cyprus
- 297. *Narcissus polyanthos* Loisel.
ex: Spain, 3km SW by rd. from Algeciras.
Coll: Vladimír Huml
- 298. *Phaedranassa tunguraguae* Ravenna
ex: Ekvádor, Baños de Tungurahua
- 299. *Sternbergia lutea* Ker Gawl. ex Schult.f.

Araceae

- 300. *Aglaonema commutatum* Schott
ex: Filipíny, Luzon, Quezon Park.

Bromeliaceae

- 301. *Billbergia kuhlmannii* L.B.Sm.
- 302. *Tillandsia schiedeana* Steud.

Colchicaceae

- 303. *Colchicum cilicicum* Damm.
- 304. *Colchicum kotschyi* Parl.
ex: Turkey, 7 km E by rd. 300 from Reşadive
- 305. *Colchicum macrophyllum* B.L.Burt

Hyacinthaceae

- 306. *Bellevalia dubia* Rchb.
- 307. *Bellevalia hackelii* Freyn
- 308. *Bellevalia longipes* Post
ex: Turkey, Mayikiran Geçidi, on rd. Malatya – Pinarbaşı. Coll.: Vladimir Huml
- 309. *Bellevalia longistyla* (Miscz.) Grossh.
ex: Turkey 2 km, E by rd. E88 (200) from Tunceli. Coll.: Vladimir Huml
- 310. *Bellevalia pycnantha* (K.Koch) Losinsk.
ex: Turkey, Uzunahmet, on rd. E80 E from Erzurum. Coll.: Vladimir Huml
- 311. *Bellevalia sarmatica* Misc.
ex: Turkey, Agiozu, 22 km from Ilgaz
Coll.: Vladimir Huml
- 312. *Camassia leichtlinii* (Baker) S.Watson
- 313. *Dipcadi serotinum* Medik.
- 314. *Galtonia viridiflora* Verdoorn
- 315. *Hyacinthella glabrescens*
K.Persson et Wendelbo
ex: Turkey, 9 km S by rd. E90 (750) from Pozanti. Coll.: Vladimir Huml
- 316. *Hyacinthella heldreichii* (Boiss.) Chouard
ex: Turkey, Kaprülü kanyon, near ruins of Selge. Coll.: Vladimir Huml
- 317. *Hyacinthella lineata* (Steud.) Chouard
ex: Göteborg BG: Turkey, Manisa Dag, prov. Manisa, 1050 m
- 318. *Hyacinthus tabrizianus* Turrill
- 319. *Muscari armeniacum* Leichtlin ex Baker
ex: Turkey, W from Mugla.
Coll.: Vladimir Huml

320. *Muscari comosum* Mill.
ex: Turkey, Kaprülü kanyon.
Coll.: Vladimir Huml
321. *Muscari discolor* Boiss. & Hausskn. ex Boiss.
ex: Turkey, Comak Gecid, 115 km before
Antalya by rd. E 87. Coll.: Vladimir Huml
322. *Muscari massayanum* C.Grunert
ex: Turkey, Kaprülü kanyon near Caltepe.
Coll.: Vladimir Huml
323. *Muscari muscarimi* Medik.
ex: Turkey 9 km N by rd E90 (750) from
Pozanti. Coll.: Vladimir Huml
324. *Muscari spreizenhoferi* Wehrh.
325. *Scilla biflora* Ruiz & Pav.
326. *Scilla monophyllos* Link
327. *Scilla morisii* Meikle
328. *Scilla persica* Hausskn.
329. *Scilla peruviana* L.
330. *Scilla ramburei* Boiss.
331. *Scilla siberica* Haw.
332. *Scilla vincentiana* Link & Hoffmanns. 'Alba'

Iridaceae

333. *Crocus danfordiae* Maw
ex: Turkey, rd. 650, 15 km from Dinar.
Coll.: Vladimir Huml
334. *Crocus goulimyi* Turrill *leucanthus*
335. *Crocus pallasii* Goldb.
ex: Turkey, near Pamukalle.
Coll.: Vladimir Huml
336. *Crocus pulchellus* Herb.
ex: Turkey, Kefken (20 km NE from Kandira).
Coll.: Vladimir Huml
337. *Iris humilis* Georgi
ex: Romania, Cheile Turzii. Coll.: Jan Ponert
338. *Iris magnifica* Vved
339. *Iris mesopotamica* Dykes
340. *Iris mellita* Janka
ex: Romania, Babadag - Codru. Coll.: Jan
Ponert
341. *Iris pseudopumila* Tineo
ex: Italia, Puglia. Coll.: Jan Ponert
342. *Iris pumila* L.
ex: Romania, Bazias - Divici. Coll.: Jan Ponert

343. *Iris reichenbachii* Heuff.
ex: Makedonia - Ohrid. Coll.: Jan Ponert
344. *Iris* sp.
ex: Turkey, Kaynarca
345. *Sisyrinchium striatum* Sm.

Liliaceae

346. *Fritillaria acmopetala* Boiss.
347. *Fritillaria montana* Hoppe
348. *Fritillaria nigra* Mill.
349. *Fritillaria olivieri* Baker
350. *Fritillaria pallidiflora* Schrenk
351. *Fritillaria pontica* Wahlenb.
352. *Fritillaria tubiformis* Gren. & Godr.
353. *Lilium philippinense* Baker

Melanthiaceae

354. *Veratrum nigrum* L.

Poaceae

355. *Briza maxima* L.
356. *Coix lacryma-jobi* L.
357. *Eleusine coracana* (L.) Gaertn.
358. *Chrysopogon gryllus* (L.) Trin.
359. *Lamarckia aurea* (L.) Moench
360. *Panicum capillare* L.
361. *Rhynchelytrum repens* (Willd.) C.E.Hubb.
362. *Sesleria autumnalis* (Scop.) F.W.Schultz
363. *Sesleria autumnalis* (Scop.) F.W.Schultz
364. *Sporobolus heterolepis* (A.Gray) A.Gray
365. *Stipa tenuissima* Trin.
ex: USA, Texas, 13 N 29 16 468 W
103 17 191, cca 2000m

Ruscaceae

366. *Sansevieria parva* N.E.Br.

Taccaceae

367. *Tacca chantrieri* André

ex: S. Vietnam, Leong, Rach Gia Kien Giang,
10° 1'33.08"S, 105° 6'31.24"E, 10 m.

Coll.: Škorničková Jana

Xanthorrhoeaceae

368. *Aloe cooperi* Baker

369. *Aloe fragilis* Lavranos & Rösli

370. *Aloe ibitiensis* H.Perrier

371. *Aloe plicatilis* Mill.

372. *Bulbine alooides* Willd.

373. *Eremurus robustus* Regel

Cover illustration:
Valerianella olitoria

reproduced from:
Cv. Ettinghansen et A. Pokorny - Physiotypia
Plantarum Austriacum, Wien, 1856

All seeds from BG are the result of open pollination.

Number of the seeds portions of some plants collected
in nature is limited.

Taxonomy based on database [florius.cz](http://www.florius.cz)

Information about plants origin you can obtain on
<http://www.florius.cz/troja/>

Your address:

Please, restrict your request to 15 taxa or less.

Please, return the numbered list not later than
30th May.

Phytosanitary certificate YES NO ?

DESIDERATA :